



# REPORT TO PLANNING COMMISSION City of Sacramento

# 5

915 I Street, Sacramento, CA 95814-2671

**PUBLIC HEARING**  
**March 10, 2011**

To: Members of the Planning Commission

**Subject: Provence (P09-006)**

A request to develop 233 condominium units on approximately 13.9 gross acres (10.8 net acres) in the Employment Center 50 Planned Unit Development (EC-50-PUD) zone in the Natomas Crossing PUD.

- A. Environmental Determination: Mitigated Negative Declaration;
- B. Mitigation Monitoring Plan;
- C. PUD Schematic Plan Amendment to re-designate the use and density on 10.8 net acres in the Natomas Crossing PUD;
- D. Tentative Map to subdivide 182 residential lots and 38 common lots into 28 residential condominium lots, 5 private street lots, 16 private drive lots and one landscape lot on 10.8 net acres;
- E. Special Permit to develop 233 condominium units in the Employment Center 50 Planned Unit Development (EC-50-PUD) zone; and
- F. Special Permit Major Modification to amend previous approval for 187 townhouse units per P06-194.

**Location/Council District:**

Area southwest of East Commerce Way and Benefit Way, Sacramento, CA

Assessor's Parcel Number 225-2330-002-0000 through 225-2330-076-0000, 225-2680-002-0000 through 225-2680-083-0000, and 225-2690-002-0000 through 225-2690-069-0000

Council District 1

**Recommendation:** Staff recommends the Commission approve the request based on the findings and subject to the conditions listed in Attachment 1. **At the writing of this report, the project is non-controversial.** Staff recommends the Commission forward to City Council a recommendation of approval for items A to F, and to approve a Private Recreational Facilities Agreement.

**Contact:** David Hung, Associate Planner, (916) 808-5530; Lindsey Alagozian, Senior Planner, (916) 808-2659

**Applicant:** RC Natomas, LLC c/o Kevin Smith, (916) 838-6651, 2225 Third Street, Suite 113, Sacramento, CA 95616

**Owner:** RC Natomas, LLC. List of owners as follows:


Aries Capital Partners c/o Richard Durham, Jason Reading and Andrew Dent, Salt Lake City, UT

Ranch Capital c/o Lawrence S. Hershfield, Randall Jenson and Dustin Gillman, (858) 523-1799, San Diego, CA

RRDC c/o E. James Murar, Rob Murar and Patrick Brown, (949) 533-0627, 4060 Campus Drive, Suite 100, Newport Beach, CA 92660

Paragon c/o Kevin Smith, (916) 838-6651, 2225 Third Street, Suite 113, Sacramento, CA 95616

Vicinity Map



**Summary:** Entitlements were previously approved to develop a 187 unit townhouse complex at the subject site (P06-194) within the Natomas Crossing – Area #3 Planned Unit Development (PUD). The site is currently developed with five of the 187 units, along with interior streets and the pool and pool house. The current application request is for the necessary entitlements to develop 233 condominium units within the undeveloped areas of the site. The project requires a PUD Schematic Plan Amendment, a Tentative Map, a Special Permit for condominiums and a Special Permit Major Modification to amend the previous approval. Staff notified all property owners within 500 feet of the site for this public hearing and received no opposition at the writing of this report.

<b>Table 1: Project Information</b>
<b>General Plan designation:</b> Employment Center Mid Rise (18 to 60 units per acre)
<b>PUD designation:</b> Townhouse
<b>Existing zoning of site:</b> EC-50-PUD
<b>Existing use of site:</b> Residential (partially developed)
<b>Property area:</b> 13.9 gross acres (10.8 net acres)

**Background Information:** On June 24, 1997, the City Council approved a Development Agreement and Rezone (P96-084) to designate this area as the Natomas Crossing - Alleghany #3 Planned Unit Development (PUD). Also approved were development guidelines and a schematic plan for the PUD. On May 8, 1997, the Planning Commission approved a Tentative Master Parcel Map for the site (P96-084). The current project site is a small portion of the Natomas Crossing – Alleghany Area #3 Planned Unit Development area.

On June 25, 2002, the City Council approved a General Plan Amendment, Community Plan Amendment, and a Rezone (P01-028) to re-configure the land use designations for the overall Natomas Crossing – Alleghany Area #3 PUD area. Also approved were PUD development guidelines and schematic plan amendments. On June 6, 2002, the Planning Commission approved a Tentative Map, Subdivision Modifications, and a Special Permit for an office building (for a parcel south of this location).

On January 17, 2006, the City Council approved a PUD Schematic Plan Amendment (P05-079) to re-designate this site for multi-family development in the Natomas Crossing – Alleghany Area #3 Planned Unit Development (PUD). On October 13, 2006, the Planning Commission approved a Tentative Subdivision Map to create one 10.9± net acre condominium parcel and a PUD Special Permit to develop a 187 unit condominium complex in the Natomas Crossing – Area #3 PUD.

On February 22, 2007, the Planning Commission approved the entitlement to revoke the Special Permit to develop the 187 unit condominium complex and approved a Tentative Map, Subdivision Modification and Special Permit to develop a 187 unit townhouse complex (P06-194). The site is currently developed with five of the 187 units, along with interior streets and the pool and pool house.

**Public/Neighborhood Outreach and Comments:** The project was routed to the following neighborhood advisory groups: Heritage Park HOA; Natomas Community Association (NCA); North Natomas Alliance (NNA); North Natomas Community Association (NNCA); Natomas Park Master Association (NPMA); Regency Park Neighborhood Association (RPNA); SABA; Terrace Park Neighborhood Association; WalkSacramento; and Witter Ranch Neighborhood Association. No comments were received.

**Environmental Considerations:** The City of Sacramento prepared a Mitigated Negative Declaration (MND) for the Provence project. In accordance with the California Environmental Quality Act (CEQA), the MND was submitted to a 20-day public review period from May 8, 2009 through May 28, 2009. The Notice of Availability was advertised in a newspaper of general circulation, posted with the Sacramento County Clerk and sent to stakeholders in the project area. No comments were received during circulation for public comment.

The following sections were identified to have potentially significant impacts: Hydrology and Noise. Mitigation measures were incorporated into the project description to reduce these impacts to a less-than-significant level, consistent with CEQA Guidelines Section 15070.

Following preparation of the MND and circulation for public comment, the project was revised to reduce the dwelling unit count from 237 to 233, along with some minor alterations in layout. The reduction in dwelling unit count would have no effects that were not identified and evaluated in the MND, and no changes to the environmental document are required. Recirculation of the MND is not required pursuant to CEQA Guidelines Section 15073.5.

The MND and Initial Study were posted on the Community Development Department's web site during the public comment period.

## **Policy Considerations:**

### ***General Plan***

The 2030 General Plan Update was adopted by City Council on March 3, 2009. The 2030 General Plan's goals, policies, and implementation programs define a roadmap to achieving Sacramento's vision to be the most livable city in America. The 2030 General Plan Update designation of the subject site is Employment Center Mid Rise which provides for large mixed-use office/employment centers that includes residential uses as a supportive mixed use or adjacent to large employment center; this designation allows a minimum density of 18 units per net acre to a maximum of 60 units per net acre. The 2030 General Plan has identified goals and policies under the Land Use and Urban Design Element as well as the Housing Element. Some of the goals and policies supported by this project are:

- *Citywide Land Use and Urban Design. (Policy LU 7.1.2) Housing in Employment Centers.* The City shall require compatible integration of housing in existing and proposed employment centers to help meet housing needs and reduce vehicle trips and commute times, where such development will not compromise the City's ability to attract and maintain employment-generating uses.
- *Housing Element. Housing Diversity (Goal H-1.2)* Provide a variety of quality housing types to encourage neighborhood stability.
- *Housing Element. Balanced Communities (Goal H-1.3)* Promote racial, economic, and demographic integration in new and existing neighborhoods

The project, with a density of 21 units per net acre, is within the range of 18 to 60 units per net acre of the General Plan land use designation. The proposed project meets the 2030 General Plan goals and policies related to Citywide Land Use and Urban Design and the development of Employment Center Mid Rise.

### ***North Natomas Community Plan***

The policies contained in the North Natomas Community Plan, found within Part 3 of the 2030 General Plan, are organized to mirror the structure of the citywide General Plan elements and are intended to supplement, but not repeat, citywide policies. Staff believes that the proposed project to develop 233 condominium units does not contradict nor interfere with the identified policies in the community plan.

### ***Employment Center Zoning***

The development of a multi-family residential use in the employment center zone is considered a non-primary use ancillary to the primary use intended for the greater area of the employment center zoned parcels within a Planned Unit Development. A maximum of twenty-five percent (25%) of the PUD net acreage may be designated for and devoted to residential uses. The proposed project will not exceed the 25% residential threshold in the Natomas Crossing PUD. The Zoning Code allows an entitlement process to exceed the maximum allowable area of 25% residential use within a PUD if it exists within the specific area delineated as being bounded by the East Drain, I-5, Del Paso Road and Arena Boulevard. This geographic area contains approximately 340 net acres. The Zoning Code allows 25% of the defined area to be residential which equates to approximately 85 net acres residential use. The proposed project in combination with existing multi-family residential development will total approximately 72.28 net acres of residential development leaving a remainder of approximately 12.72 acres available for residential use, provided the appropriate findings can be made.

Within the defined geographic area which allows up to 25% residential use, the other approved or constructed multi-family complexes include the Bella Rose Condominiums, the Ashton Parc Apartments, the Tuscaro Apartments, Arena Seniors, and the Fairfield

Apartments. With the previously approved project on the subject site, the total amount of acreage devoted to residential uses within the defined geographic area is 72.28 acres and thus will not exceed the maximum 25%, or 85 acres, as shown on the following table.

<b>Item</b>	<b>Area/Project</b>		<b>Net Acres</b>	<b>Description</b>
1	Natomas Crossing PUD	(EC-50, R-2B)-PUD	<16.9 na>	Fairfield Apartments (P01-014)
2	Natomas Crossing PUD	EC-50-PUD	<10.9 na>	Provence (P06-194)
3	Arena Corporate Center PUD	EC-40-PUD	<10.85 na>	Bella Rose Condominiums (P03-162)
4	Arena Corporate Center PUD	EC-40-PUD, AOS	<16.9 na>	Tuscaro Apartments (P98-042)
5	Arena Corporate Center PUD	EC-40-PUD	<8.23 na>	Ashton Parc Apartments (P04-240)
6	Arena Corporate Center PUD	EC-40-PUD, EC-80-PUD	<8.5 na>	Arena Seniors (P08-013)
	<b>Total Residential (in defined geographic area)</b>		<b>72.28 na</b>	
	<b>Total Net Acreage in defined area</b>		<b>340 net acres</b>	<b>Allowable acres for residential if criteria met = 85 na</b>
	<b>% Residential in Defined Area</b>		<b>21.3%</b>	

The following table shows a list of multi-family housing projects in the North Natomas Community Plan area, including apartments and condominiums:

<b>Location</b>	<b>Project Name</b>	<b>Type</b>	<b>Units</b>	
<b>West of Interstate 5</b>	Lofts (P02-084)	Apartment	188 (app'd)	
	Atrium Court (P02-035)	Apartment	224 (app'd)	
	Irongate (P98-071)	Apartment	280 (app'd)	
	Terracina Meadows (P01-050)	Apartment	148 (app'd)	
	Hurley Creek (P06-007)	Apartment	208 (app'd)	
	Valencia Point (P05-212)	Apartment	168 (app'd)	
	Cambay West (P03-047)	Apartment	216 (app'd)	
	Duckhorn Village (P06-201)	Apartment	75 (app'd)	
	Vista del Lago (P06-093)	Condominium	219 (app'd)	
	Westlake Villas (P01-053)	Condominium	285 (app'd)	
	Brias del Lago (P06-139)	Townhouses	126 (app'd)	
		Subtotal:		2137
	<b>East of Interstate 5</b>	Homecoming (P01-115)	Apartment	450 (app'd)
Bella Rose (P03-162)		Condominium	201 (app'd)	
Ashton Parc (P04-240)		Apartment	168 (app'd)	

	Villagio (P99-059)	Apartment	272 (app'd)
	Creekside Crossing (P05-177)	Condominium/ Townhouses	434 (app'd)
	Tuscaro (P98-042)	Apartment	296 (app'd)
	Granite Pointe (P01-014)	Apartment	384 (app'd)
	Terracina Gold (P99-142)	Apartment	280 (app'd)
	Natomas Field (P04-236)	Townhouses	211 (app'd)
	JMA/Laing Condos (P05-164)	Condominium	92 (app'd)
	JMA/St. Anton (P05-136)	Apartment	108 (app'd)
	McKenzie (P01-016)	Apartment	152 (app'd)
	Miramonte/Trovass (P99-082)	Apartment	440 (app'd)
	Carriage Lane I (P03-085)	Condominium	156 (app'd)
	Carriage Lane II (P04-167)	Condominium	39 (app'd)
	Provence (P06-194)	Townhouses	187 (app'd)
	Syrah (P02-132)	Condominium	245 (app'd)
	Amara (P04-087)	Condominium	200 (app'd)
	Natomas Park (P01-100)	Apartment	212 (app'd)
	Broadstone (P04-096)	Condominium	142 (app'd)
	Regency Park (P04-065)	Condominium	135 (app'd)
	Carefree (P00-005)	Apartment	500 (app'd)
	Northpointe (P03-046)	Apartment	180 (app'd)
	Terraces (P04-196)	Condominium	321 (app'd)
	Natomas Place (P06-124)	Apartment	135 (app'd)
	Natomas Market Rate (P08-047)	Condominium	120 (app'd)
	Vintage at Natomas Field (P05-116)	Apartment	200 (app'd)
	Hampton Village (P04-058)	Condominium	264 (app'd)
	Heritage Point (P07-035)	Condominium	229 (app'd)
	Arena Seniors (P08-013)	Apartment	240 (app'd)
		Subtotal:	6,993
	<b>Total Multi-Family Units in North Natomas:</b>		<b>9,130</b>

There are a total of 9,130 approved multi-family dwelling units in the North Natomas Community Plan area as of February 2011. The project, if approved, will add an additional 51 units of multi-family housing.

The proposed condominium use is compatible with the adjacent/proposed future uses within the PUD, and the site can be adequately served by public facilities, transit and open space. This project is a high density development and has 22 dwelling units per net acre; however, circulation is eased by the fact that the development is bordered by three streets and allows easy access to the surrounding area. In conclusion, staff supports the project and finds the proposed project is in compliance with the goals and policies of the North Natomas Community Plan.

#### ***Natomas Basin Habitat Conservation Plan (NBHCP):***

The 1994 North Natomas Community Plan required the development and implementation of a Habitat Conservation Plan as mitigation for development in North

Natomas. In 1997, the NBHCP was approved by the City of Sacramento, USFWS, and CDFG.

The NBHCP is a conservation plan supporting application for incidental take permits (ITP's) under Section 10(a)(1)(B) of the Endangered Species Act and under Section 2081 of the California Fish and Game Code. The purpose of the NBHCP is to promote biological conservation while allowing urban development and continuation of agriculture within the Natomas Basin. The NBHCP establishes a multi-species conservation program to mitigate the expected loss of habitat values and incidental take of protected species that would result from urban development, operation of irrigation and drainage systems, and rice farming. The goal of the NBHCP is to preserve, restore, and enhance habitat values found in the Natomas Basin.

To support the issuance of an ITP, an Environmental Assessment was prepared by the USFWS for the National Environmental Policy Act requirement and a Negative Declaration was prepared by the City of Sacramento for the California Environmental Quality Act (CEQA) requirement. The USFWS and CDFG issued ITP's to the City of Sacramento. The NBHCP and ITP were subsequently challenged, and on August 15, 2000, the United States District Court, Eastern District, ruled that the ITP was invalid and an EIS was required for the project. Based on this ruling, the City of Sacramento and Sutter County jointly prepared a revised NBHCP and an Environmental Impact Report/Environmental Impact Statement (EIR/EIS) for use by the USFWS and CDFG. The USFWS is the lead federal agency for the preparation of the EIS and the City of Sacramento and Sutter County are co-lead agencies for the preparation of the EIR. The Sacramento City Council adopted the revised NBHCP and EIR/EIS on May 13, 2003. On June 27, 2003 the USFWS issued a new Incidental Take Permit for the NBHCP for development within the Natomas Basin. This project is subject to the requirements of the revised HCP/ITP. HCP fees have been paid and the site has been graded, thereby complying with the requirements of the HCP/ITP.

***Smart Growth Planning Principles:***

“Smart Growth” is a term coined by the United States Environmental Protection Agency (USEPA) as an umbrella term for the many initiatives intended to address some of the negative consequences of urban sprawl. Smart Growth generally occurs when development patterns are sustainable and balanced in terms of economic objective, social goals, and use of environmental/natural resources. The following Smart Growth principles apply to the proposed project:

- Higher-density, cluster development.
- Multi-modal transportation and land use patterns that support walking, cycling and public transit.
- Streets designed to accommodate a variety of activities.
- Planned and coordinated projects between jurisdictions and stakeholders.

The proposed project has been designed to incorporate many of the Smart Growth Principles listed above.

***Mixed Income Inclusionary Housing Ordinance:***

The project is allowed in the EC zone due to amendments to the Community Plan (Resolution 2002-047) and the EC Zone (Ordinance 2002-001) adopted in 2002. These amendments allow for the residential component of EC development within the geographic area bounded by the East Drain, Interstate 5, Del Paso Road and Arena Boulevard to exceed 25% within the individual PUD with the approval of a special permit; the subject site is within the above referenced geographic area.

Per section 17.190.070(E) of the Zoning Ordinance, any residential project in the North Natomas community plan area which is the subject of a development agreement executed on or before June 20, 2000 shall be exempted from the inclusionary housing component, unless subsequent to June 20, 2000 the residential project requires the approval of one or more legislative entitlements or amendments to legislative entitlements which are major rather than minor, in which case the residential project shall not be exempt from inclusion of the inclusionary housing component. Per section 17.190.020 of the Zoning Ordinance, "minor legislative entitlements" means legislative entitlements or amendments to legislative entitlements which satisfy one or more of the following:

1. Entitlements that do not result in any of the following criteria as defined by the North Natomas community plan target average densities: a net loss of residential acreage; a net loss of acreage of land designated for high density residential (HDR) or medium density residential (MDR) development, unless the HDR total residential units replace the loss of MDR residential units; or a net loss of total residential units;
2. Entitlements that are the result of, and required by, amendments to public facilities or roadways designated in the North Natomas community plan; provided further that the entitlements are limited to addressing the amendments required by the city or other public agency; or
3. Entitlements that are limited to amendments to a previously approved PUD schematic plan, tentative map, or PUD development guidelines, provided that the amendments do not result in a loss of more than five (5) percent between the density of the proposed project and the density of the previously approved project.

The project site was under a Development Agreement approved prior to June 20, 2000. Staff has found that the 2002 amendments to the Community Plan and the EC Zone as well as the required PUD Schematic Plan Amendment for the project fall within the definition of a minor legislative entitlement per the criteria discussed above; the project does not result in a net loss of residential acreage and the entitlements are limited to amendments to a previously approved PUD schematic plan, Plan Review and Special Permits. As a result, the project is exempt from the Mixed Income Housing Ordinance under section 17.190.170.

***Multi-Family Residential Design Guidelines:***

The Multi-Family Residential Design Guidelines were approved by the City Council on August 5, 2000 (Resolution CC2000-487). This document articulates design principles

for multi-family residences to assist the Planning Commission, City Council, City staff and project planners and designers by identifying the City’s design criteria for multi-family development. The intent is to achieve well-designed projects to enhance the community’s overall value and appearance. The project is generally consistent with the Multi-Family Residential Design Guidelines as identified in the building design section of this staff report.

**Project Design:**

The following discusses project in relation to the PUD Schematic Plan, the Tentative Map, the Special Permit for condominiums and the Special Permit Major Modification to amend the previous approval.

**Land Use**

***PUD Schematic Plan Amendment***

The applicant is proposing a PUD Schematic Plan Amendment to designate a 233-unit condominium complex on 10.8 net acres within the Natomas Crossing PUD. Applicants wishing to obtain entitlements in order to proceed to the construction phase of development are required to submit a Schematic Plan along with other drawings delineating the anticipated developments proposed in the near future for a site. The existing Schematic Plan depicts the site with 187 townhouse units. The proposed Schematic Plan Amendment delineates the use and density of the project under consideration. Since the PUD Schematic Plan Amendment reflects an increase in density of more than 10% of the existing condition, the project requires approval of the City Council.

**Table 4A: Existing schematic plan summary for project**

Project Designation	Proposed Land Use Designation	Gross Acres	Net Acres	Units	Buildings	Density
Carriage Lane 3	Residential (Townhouses)	13.9	10.9	188	38	17.2 units per net acre

**Table 4B: Proposed schematic plan summary for project**

Project Designation	Proposed Land Use Designation	Gross Acres	Net Acres	Units	Buildings	Density
Provence (P09-006)	Residential (Condos)	13.9	10.8	233	134	22 units per net acre
Provence (P06-194)	Residential (Townhouses)		0.2	5	5	

The development of a multi-family residential in the employment center zone is considered a non-primary use ancillary to the primary use intended for the greater area

of the employment center zoned parcels within a Planned Unit Development. Staff finds that the PUD Schematic Plan Amendment conforms to policies of the General Plan and North Natomas Community Plan to provide adequate housing sites and opportunities for all households and to promote efficient development within a new growth area. Furthermore, the PUD Schematic Plan Amendment will not be injurious to the public welfare, nor to other properties in the vicinity of the development in that the project is compatible with adjacent developments and the site will be developed according to the requirements of the PUD Guidelines.

***Tentative Map design***

Map Design: The tentative map proposes to subdivide 182 residential lots and 38 common lots (per approval of file P06-194) into 28 residential condominium lots, 5 private street lots, 16 private drive lots and one landscape lot on 10.8 net acres; the tentative map design is summarized below:

<b>Table 5: Map Design Summary</b>		
<b>Lot Number:</b>	<b>Total Net Acreage:</b>	<b>Use:</b>
1 - 28	7.7	Condominium Units
A – P	1.0	Private Drives
Q - U	1.8	Private Streets
V	0.3	Landscape Lot

The project creates condominium parcels which consist of an undivided interest in common in a portion of real property coupled with a separate interest in space called a unit, the boundaries of which are described on a recorded final map, parcel map, or condominium plan in sufficient detail to locate all boundaries thereof. [Civil Code Section 1350 (f)].

Vehicular Circulation and Parking: Access to the project site is provided at Benefit Way to the north and Advantage Court to the west. The main vehicular access is the northern driveway and secondary vehicular access is provided to the west. The units along Advantage Court provide direct pedestrian access to the sidewalks along this street. Pedestrian connections are also provided from the interior of the site to the sidewalks along Benefit Way and East Commerce Way.

Pedestrian Circulation: Existing sidewalk and rolled curb are found at the frontage on East Commerce Way, Benefit Way and Advantage Court. The project does not impact or change existing circulation in and around the site.

Walls and Fencing: Existing fencing at the pool area will remain. New fencing to be installed all along the southern perimeter of the site. Fencing abutting the vacant adjacent parcel to the west shall be provided when the site is developed. As required

by the Fire Department, a gate will be installed at the emergency vehicle access entrance at East Commerce Way.

On December 15, 2010, the Subdivision Review Committee, with all ayes, voted to recommend approval of the proposed Tentative Map, subject to the conditions of approval as found in Attachment 1.

In evaluating tentative maps, the Commission is required to make the following findings:

- A. None of the conditions described in Government Code Section 66474, subsection (a) through (g), inclusive, exist with respect to the proposed subdivision;
- B. The proposed subdivision, together with the provisions for its design and improvement, is consistent with the City General Plan and Title 16 Subdivisions of the City Code, which is a specific plan of the City (Gov. Code §66473.5);
- C. The discharge of waste from the proposed subdivision into the existing community sewer system will not result in a violation of the applicable waste discharge requirements prescribed by the California Regional Water Quality Board, Central Valley Region, in that existing treatment plants have a design capacity adequate to service the proposed subdivision (Gov. code §66474.6);
- D. The design of the proposed subdivision provides, to the extent feasible, for future passive or natural heating and cooling opportunities (Gov. Code §66473.1);
- E. The Planning Commission has considered the effect of the approval of this tentative subdivision map on the housing needs of the region and has balanced these needs against the public service needs of its residents and available fiscal and environmental resources (Gov. Code §66412.3).

Staff finds that the Tentative Map is consistent with the policies of the General Plan and Title 16 of the City Code. The site is physically suitable for the type of development proposed and suited for the proposed density; the design of the subdivision and the proposed improvements are not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife their habitat, and the design of the subdivision and the type of improvements will not conflict with easements, acquired by the public at large, for access through or use, of, property within the proposed subdivision. The project will not overly burden the sewer system, nor will it preclude future passive or natural heating and cooling opportunities.

The Carriage Lane III development project, previously approved for this site, has a Private Recreational Facilities Agreement (City Agreement 2006-0298). The Agreement allowed 5% parkland dedication credit in exchange for the development of a private pool for the use of all residents in the 187 unit Carriage Lane III subdivision. The Agreement

was specific to the Carriage Lane III project and is not transferable to this project. The Applicant for the Provence project has requested a new Private Recreational Facilities Agreement. The new Provence Private Recreational Facilities Agreement will be for the development of a private pool for the use of all residents in the 233 unit development, plus the five existing model homes from the Carriage Lane III project. Pursuant to Section 16.64.120 of the Sacramento City Code and at the time of the hearing on the tentative subdivision map, the Planning Commission shall make a recommendation concerning the request for a Private Recreational Facilities Agreement to the City Council. Staff supports a new Private Recreational Facilities Agreement, with the remainder of the parkland dedication obligation to be fulfilled through the payment of in lieu fees.

### ***Special Permit***

The applicant proposes to develop 223 condominium units on approximately 10.8 net acres in the Employment Center Planned Unit Development (EC-50-PUD) zone. Section 17.192 of the Zoning Code permits new condominium developments with the issuance of a special permit. In evaluating special permit proposals of this type, the Planning Commission is required to make the following findings:

1. A special permit shall be granted upon sound principles of land use.  
Staff finds that the proposed development is an appropriate land use that will have positive contribution to the surrounding area, in that the project site is in close proximity to future commercial and open space uses and that the site will be well served by auto, bicycle, and pedestrian linkages.
2. A special permit shall not be granted if it will be detrimental to the public health, safety or welfare, or if it results in the creation of a nuisance.  
Staff finds that the proposed condominium development site and building design are consistent with the Natomas Crossing PUD Guidelines and the Multi-Family Residential Design Principles and will not be detrimental to public health, safety or welfare.
3. A special permit use must comply with the objectives of the general or specific plan for the area in which it is to be located.  
The proposed project is consistent with the goals and policies of the employment center designation in the General Plan and the North Natomas Community Plan.

Staff believes that the current proposal is a well designed project in that it provides various housing types and different architectural variations, and it provides usable private and public outdoor spaces for the residents. The proposed project should have a positive contribution to the surrounding area.

### **Access, Circulation and Parking**

Vehicular access to the project site is provided through three driveways: one off of Benefit Way and two off of Advantage Court. Additional pedestrian connections are

provided from the units to the sidewalks along Advantage Court, Benefit Way, and East Commerce Way.

<b>Table 6: Vehicular Parking</b>			
<b>Use</b>	<b>Required Parking</b>	<b>Proposed Parking</b>	<b>Difference</b>
Condominiums	233 (one per unit)	410	+177

Two types of parking will be available at this complex: garage spaces within the individual units and open spaces for residents and guests. The parking areas comply with the Multi-Family Residential Design Guidelines in that: the majority of the surfaced parking areas are located away from the adjacent public roadways; parking areas are generally located away from street corners; and landscaping and walkways are provided between buildings and paved parking areas. According to the Sacramento City Code (Section 17.192), a minimum of 1 parking space per unit is required. Therefore, the proposal is required to provide a minimum of 233 parking spaces. The applicant is proposing 410 parking spaces on site, consisting of 371 garage spaces and 39 open spaces. It is staff’s opinion that the 371 garage spaces and the 48 extra parking spaces are not excessive, in that: each unit has either a one-car or a two-car garage; minimal on-street parking is allowed on the surrounding streets; and the open parking is provided throughout the site.

The proposal is also consistent with the Natomas Crossing PUD guidelines, which state that where reasonable, locate parking lots away from the primary adjacent roadways, behind buildings, or within the buildings as structured parking. (p. 57)

**Height, Bulk and Setbacks**

<b>Table 7: Height and area standards</b>			
<b>Standard</b>	<b>Allowance</b>	<b>Proposed</b>	<b>Deviation?</b>
Height	Maximum four stories	Two to three stories	No
East Commerce Way	Minimum of 12’-6” Maximum of 15’-0”	12’-6” to 15’-0”	No
Benefit Way	Minimum of 17’-6” Maximum of 23’-0”	17’-6”	No
Advantage Court	15’-0”	15’-0”	No
Southern Property Line	15’-0”	15’-0”	No

As indicated above, the project meets or exceeds all applicable height and area requirements.

**Building design, signage and landscaping**

The condominium buildings are three stories in height which is within the four-story maximum building height allowed in the Employment Center 50 zone. The exterior building materials will consist of integral color stucco, stone veneer, plaster corbels, plaster window trims, metal railing details, and decorative shutters. Roofing is proposed to be composite tiles. Vinyl windows, fiberglass entry doors and metal sectional garage doors are also used. The applicant is proposing two housing types, the Urban Villas and the Courts. The Urban Villas are located at the northernmost and southernmost portions of the site. The Courts are located at the central portion of the site and at the East Commerce Way frontage. Some of the Courts buildings have two-story elements.

The following is a general summary of the building types:

**Table 8: Building Type Summary:**

Building Type	Building Count	Unit Count	Maximum Height	Number of Floors
Urban Villa 1	7	7	32'-0"	3
Urban Villa 1 & 2	17	34	32'-0"	3
Urban Villa 3	21	21	32'-0"	3
Court – Plan 1 / 4	16	32	33'-0"	3
Court – Plan 2 / 3	14	28	33'-0"	3
Court – Plan 5 / 7	31	62	35'-0"	3
Court – Plan 6 / 9	11	22	34'-0"	3
Court – Plan 8	7	7	33'-0"	3
Court – Plan 10 / 11	10	20	32'-0"	3
Total	134	233	n/a	n/a

The proposal is required to be consistent with the following Natomas Crossing PUD Guidelines:

- Front-on buildings are encouraged. Avoid soundwalls, replace with mounds and other sound absorption features. (p. 22)
- Architectural facades should provide visual interest and scale to the adjacent streets. Avoid overly monotonous facades that do not have relief, shadow, or textural changes at the pedestrian level. (p. 57)
- Provide windows that look out to the adjacent streetscapes and parking lot areas. (p. 57)
- Orient building entrances toward the adjacent streetscape and celebrate the connection between public and private uses. (p. 57)
- Buildings should be located close to the public utility easement (PUE). (p. 78)
- Residential buildings should have pedestrian access and visual orientation to the adjacent roadways and/or open space features. (p. 85)

- Residential buildings shall be oriented on the site to create interesting and safe common open space areas that promote neighborly interaction. (p. 85)
- Soundwalls shall be avoided. (p. 85)
- Garages should be recessed from the front façade, accessed from an alley or side yard, or detached to the rear of the building. (p. 85)

The residential buildings are consistent with the Multi-Family Residential Design Guidelines in that the buildings are arranged to provide functional public and private outdoor spaces, and pedestrian orientation is encouraged in the allocation of space, building size and placement, and open space design. The buildings provide windows and active spaces to enhance security and visual interest; a variety in architecture is provided, and the buildings vary roof form, mass, shape and material changes to create variations in plans.

The applicant has not submitted examples of the proposed pedestrian lighting and light pole standards for this project. Lighting fixtures should be unobtrusive and complementary to the architectural design of the building. The applicant will be required to provide exterior lighting of residential quality and design for this proposal, consistent with the pedestrian and light poles for this proposal.

A signage plan was not submitted with the proposal. Staff will require that the applicant submit a signage plan for the proposed development. All signage will be required to conform to the Natomas Crossing – Area #3 PUD Guidelines and the City's Sign Ordinance, where applicable.

A preliminary landscaping plan for the project is provided. Trees have been planted between a separated sidewalk and the street along the public streets. The proposed landscaping on site will consist of shade trees and flowering ornamental trees, as well as shrubs and ground cover. The proposed landscaping is required to be consistent with the North Natomas Development Guidelines – Plant Species and the Natomas Crossing PUD Guidelines – Roadway master Plan Matrix (Table 4). The parking areas will be required to comply with the City's Tree Shading Ordinance, requiring 50 percent tree shading within 15 years.

The proposed landscaping is consistent with the Multi-Family Residential Design Guidelines, in that: the exterior site design and landscaping provide functional recreational spaces and community site amenities; the exterior spaces are designed to enhance the overall appearance and compatibility of this development by providing privacy, buffering and daylight, and to provide a pleasant transition to the street.

### ***Special Permit Major Modification***

The previous approval on the site is for 187 townhouse units (P06-194). The site is currently developed with five of the 187 units, along with interior streets and the pool and pool house. A Special Permit Major Modification is required to amend the previous approval to allow the construction of a total of 233 condominiums on the remaining

portion of the site. In evaluating special permit proposals of this type, the Commission is required to make the following findings:

1. A special permit shall be granted upon sound principles of land use.  
Staff finds that the proposed condominium development is a better designed project than the previous approval on the site; the project provides more architectural variations and both private and public outdoor spaces for the occupants.
2. A special permit shall not be granted if it will be detrimental to the public health, safety or welfare, or if it results in the creation of a nuisance.  
The project will not be detrimental to the public health, safety or welfare since the buildings will be constructed to meet code standards. Residential developments of this type have been approved in many areas of the city. Staff finds that the proposed development is consistent with the Natomas Crossing PUD Guidelines and the Multi-Family Residential Design Principles.
3. A special permit use must comply with the objectives of the general or specific plan for the area in which it is to be located.  
The proposed project is consistent with the employment center and residential policies of the General Plan and the North Natomas Community Plan.

Staff believes that the current proposal is a better project in that it provides various housing types and different architectural variations, and it provides usable private and public outdoor spaces for the residents. The proposed project is also consistent with the goals and policies of the General Plan.

**Conclusion:** Staff recommends the Commission forward to City Council a recommendation of approval for the project. Staff finds: 1) the proposal's consistency with the policies of the General Plan, North Natomas Community Plan, and the Natomas Crossing – Area #3 Planned Unit Development (PUD) Guidelines and Schematic Plan; 2) the proposed use is consistent with the Employment Center zoning designation; and 3) the project contributes positively to the surrounding area.

Respectfully submitted by: David Hung  
DAVID HUNG  
Associate Planner

Approved by: Lindsey Alagozian  
LINDSEY ALAGOZIAN  
Senior Planner

Recommendation Approved:

Gregory Bitter  
GREGORY BITTER, AICP  
Principal Planner

Table of Contents:

Page 1	Report
Page 19	Attachment 1 – Proposed Findings of Fact and Conditions of Approval
Page 20	Attachment 2 – Mitigated Negative Declaration – Findings – Draft Resolution
Page 23	Exhibit 2A – Mitigation Monitoring Plan
Page 29	Attachment 3 – PUD Schematic Plan Amendment – Draft Resolution
Page 30	Exhibit 3A – PUD Schematic Plan Amendment
Page 31	Attachment 4 – Project Approval – Draft Resolution
Page 50	Exhibit 4A – Tentative Map
Page 51	Exhibit 4B – Existing Condition
Page 52	Exhibit 4C – Special Permit Plan
Page 53	Exhibit 4D – Landscape Plan
Page 54	Exhibit 4E – Circulation Plan
Page 55	Exhibit 4F – East Commerce Views Looking Southwest & West – With Trees
Page 57	Exhibit 4G – East Commerce Views Looking Southwest & West – Without Trees
Page 59	Exhibit 4H – Courts – House Plans and Elevations
Page 121	Exhibit 4I – Urban Villas – House Plans and Elevations
Page 135	Exhibit 4J – Building Data Charts
Page 137	Exhibit 4K – Elevation Variation Plotting and Color Schemes
Page 149	Exhibit 4L – Playground Shade Structure and Paseo Concept Plans
Page 152	Attachment 5 – Mitigated Negative Declaration
Page 153	Attachment 6 – Land Use & Zoning Map

**Attachment 1**  
**Proposed Findings of Fact and Conditions of Approval**  
**Provence (P09-006)**  
**Area southwest of East Commerce Way and Benefit Way**

**Findings of Fact**

- A&B.** The Planning Commission has reviewed and considered the information contained in the Mitigated Negative Declaration and Mitigation Monitoring Plan in making the recommendations set forth below.
  
- C.** The Planning Commission recommends approval and forwards to the City Council the **PUD Schematic Plan Amendment** for the Project as set forth in Attachment 3.
  
- D.** The Planning Commission recommends approval and forwards to the City Council the **Project Approval** for the Project as set forth in Attachment 4.

**Attachment 2: Mitigated Negative Declaration – Findings – Draft Resolution**

**RESOLUTION NO.**

Adopted by the Sacramento City Council

**ADOPTING THE MITIGATED NEGATIVE DECLARATION AND THE MITIGATION MONITORING PROGRAM FOR THE PROVENCE PROJECT (P09-006)**

**BACKGROUND**

- A. On March 10, 2011, the City Planning Commission conducted a public hearing on, and forwarded to the City Council a recommendation to approve with conditions the Provence Project.
- B. On April 19, 2011, the City Council conducted a public hearing, for which notice was given pursuant Sacramento City Code Section 17.200.010 (C)(2)(a, b, and c) and received and considered evidence concerning the Provence Project.

**BASED ON THE FACTS SET FORTH IN THE BACKGROUND, THE CITY COUNCIL RESOLVES AS FOLLOWS:**

Section 1. The City Council finds as follows:

- A. The Project initial study was prepared to analyze whether the Project was described in the Master EIR and whether the Project would cause any significant additional environmental effects (project-specific effects) that were not analyzed in the Master EIR for the 2030 General Plan.
- B. The Initial Study concluded that the Project was described in the Master EIR, and identified mitigation in the Master EIR that would apply to the Project. The Initial Study identified mitigation measures that were incorporated to revise the project before the environmental document was released for public review pursuant to CEQA Guidelines Section 15073 in order to avoid or mitigate the identified effects to a level of insignificance. (CEQA Guidelines Section 15178(b)). As part of the Master EIR process, the City incorporated all feasible mitigation measures or feasible alternatives appropriate to the project as set forth in the Master EIR (CEQA Guidelines Section 15177(d)).
- C. The above review concluded that there is no substantial evidence that the Project as revised and conditioned would have a significant effect on the environment. A Mitigated Negative Declaration (MND) for the Project was then completed, noticed and circulated in accordance with the requirements of the California Environmental Quality Act (CEQA), the State CEQA Guidelines and the Sacramento Local Environmental Procedures as follows:

1. On May 8, 2009 a Notice of Intent to Adopt the MND (NOI) dated May 8, 2009 was circulated for public comments for 20 days. The NOI was sent to those public agencies that have jurisdiction by law with respect to the proposed project and to other interested parties and agencies, including property owners within 500 feet of the boundaries of the proposed project. The comments of such persons and agencies were sought.

2. On May 8, 2009, the NOI was published in the Daily Recorder, a newspaper of general circulation, and the NOI was posted in the office of the Sacramento County Clerk.

Section 2. The City Council has reviewed and considered the information contained in the MND, including the Initial Study, the revisions and conditions incorporated into the Project, and the comments received during the public review process and the hearing on the Project. The City Council has determined that the MND constitutes an adequate, accurate, objective and complete review of the environmental effects of the proposed project.

Section 3. Based on its review of the MND and on the basis of the whole record, the City Council finds that the MND reflects the City Council's independent judgment and analysis and that there is no substantial evidence that the Project will have a significant effect on the environment.

Section 4. The City Council adopts the MND for the Project.

Section 5. Pursuant to CEQA section 21081.6 and CEQA Guidelines section 15074, and in support of its approval of the Project, the City Council adopts a Mitigation Monitoring Program to require all reasonably feasible mitigation measures be implemented by means of Project conditions, agreements, or other measures, as set forth in the Mitigation Monitoring Program.

Section 6. Upon approval of the Project, the City's Environmental Planning Services shall file or cause to be filed a Notice of Determination with the Sacramento County Clerk and, if the project requires a discretionary approval from any state agency, with the State Office of Planning and Research, pursuant to section 21152(a) of the Public Resources Code and section 15075 of the State EIR Guidelines adopted pursuant thereto.

Section 7. Pursuant to Guidelines section 15091(e), the documents and other materials that constitute the record of proceedings upon which the City Council has based its decision are located in and may be obtained from, the Office of the City Clerk at 915 I Street, Sacramento, California. The City Clerk is the custodian of records for all matters before the City Council.

Table of Contents:

Exhibit 2A: Mitigation Monitoring Program

**Exhibit 2A: Mitigation Monitoring Plan**

**MITIGATION MONITORING PLAN**

FOR

PROVENCE (P09-006)

**TYPE OF ENVIRONMENTAL DOCUMENT:  
INITIAL STUDY/ NEGATIVE DECLARATION**

**PREPARED FOR:**

CITY OF SACRAMENTO, COMMUNITY DEVELOPMENT DEPARTMENT

**DATE:**

DATE

**ADOPTED BY:  
CITY OF SACRAMENTO  
PLANNING COMMISSION**

**DATE:**

\_\_\_\_\_

**ATTEST:**

\_\_\_\_\_

**Provence (P09-006)  
MITIGATION MONITORING PLAN**

This Mitigation Monitoring Plan (MMP) has been required by and prepared for the City of Sacramento Community Development Department, Environmental Planning Services, 300 Richards Boulevard, Sacramento, CA 95811, pursuant to CEQA Guidelines Section 21081.6.

**SECTION 1: PROJECT IDENTIFICATION**

**Project Name / File Number:** Provence (P09-006)

**Owner/Developer- Name:** Kevin Smith  
RC Natomas LLC

**Address:** 4060 Campus Drive, Suite 100  
Newport Beach, CA 92660  
916-838-6651

**Project Location / Legal Description of Property (if recorded):**

The proposed project site is located southwest of the intersection of East Commerce Way and Benefit Way. The proposed project is located within the North Natomas Community Plan area of the City of Sacramento. The project site includes Assessor's Parcel Number 225-2330-002 thru -076, 225-2680-002 thru -083 and 225-2690-002 thru -069.

**Project Description:**

The proposed project consists of development entitlements to construct 237 condominium units on the project site. The proposed project seeks a modification to the previous approval for 187 units of townhouse development (P06-194) of which five homes have been constructed. The proposed project requires a PUD Schematic Plan Amendment to re-designate the use and allowable density of the site, a Tentative Map, a Special Permit for alternative ownership housing and a Special Permit Modification to amend the previous approval on the site (P06-194).

**SECTION 2: GENERAL INFORMATION**

The Plan includes mitigation for Aesthetics, Cultural Resources, Hydrology and Noise. The intent of the Plan is to prescribe and enforce a means for properly and successfully implementing the mitigation measures as identified within the Initial Study for this project. Unless otherwise noted, the cost of implementing the mitigation measures as prescribed by this Plan shall be funded by the owner/developer identified above. This Mitigation Monitoring Plan (MMP) is designed to aid the City of Sacramento in its implementation and monitoring of mitigation measures adopted for the proposed project.

The mitigation measures have been taken from the Initial Study and are assigned the same number they have in the document. The MMP describes the actions that must take place to implement each mitigation measure, the timing of those actions, and the entities responsible for implementing and monitoring the actions. The developer will be responsible for fully understanding and effectively implementing the mitigation measures contained with the MMP. The City of Sacramento will be responsible for ensuring compliance.

Provence (P09-006)  
MITIGATION MONITORING PLAN

MITIGATION AGREEMENT

PROJECT NAME / FILE NUMBER: Provence (P09-006)  
OWNER/DEVELOPER/APPLICANT: Kevin Smith  
RC Natomas LLC  
Address: 4060 Campus Drive, Suite 100  
Newport Beach, CA 92660  
916-838-6651

I, <sup>RC</sup> ~~NATHAN S. BURCHALL, NATOMAS LLC~~ owner/developer/applicant), agree to amend the project application P09-006 to incorporate the attached mitigation measures as identified in the Initial Study for the project. I understand that by agreeing to these mitigation measures, all identified potentially significant environmental impacts should be reduced to below a level of significance, thereby enabling the Environmental Coordinator to prepare an Addendum to the previously approved Mitigated Negative Declaration of environmental impact for the above referenced project.

I also understand that the City of Sacramento will adopt a Mitigation Monitoring Plan (Plan) for this project. This Plan will be prepared by the Community Development Department, pursuant to the California Environmental Quality Act Guidelines Section 21081.6 and pursuant to Article III of the City's Local Administrative Procedures for the Preparation of Environmental Documents.

I acknowledge that this project, P09-006, would be subject to this Plan at the time the Plan is adopted. This Plan will establish responsibilities for the monitoring of my project by various City Departments and by other public agencies under the terms of the agreed upon mitigation measures. I understand that the mitigation measures adopted for my project may require the expenditure of owner/developer funds where necessary to comply with the provisions of said mitigation measures.

  
\_\_\_\_\_  
Signature (Owner/Developer/Applicant)

CFO  
\_\_\_\_\_  
Title

12/8/10  
\_\_\_\_\_  
Date

**Provence (P09-006)  
MITIGATION MONITORING PLAN**

Environmental Resource	Mitigation Measure	Responsible Entity	Compliance Milestone / Confirm Complete
Aesthetics	<b>Aesthetics 1:</b> Project outdoor lighting shall be oriented away from adjacent properties and shall not produce a glare or reflection on neighboring properties or adjacent streets or property.	Community Development Department	Prior to issuance of any grading or building permit, measures identified on plans shall be verified for compliance. The Community Development Department shall assure that measures are identified on construction plans and specifications and confirm compliance prior to issuance of any grading or building permit.
Cultural Resources	<b>CR-1:</b> In the event that any prehistoric subsurface archeological features or deposits, including locally darkened soil ("midden"), that could conceal cultural deposits, animal bone, obsidian and/or mortars are discovered during construction-related earth-moving activities, all work within 50 meters of the resources shall be halted, and the City shall consult with a qualified archeologist to assess the significance of the find. Archeological test excavations shall be conducted by a qualified archeologist to aid in determining the nature and integrity of the find. If the find is determined to be significant by the qualified archeologist, representatives of the City and the qualified archeologist shall coordinate to determine the appropriate course of action. All significant cultural materials recovered shall be subject to scientific analysis and professional museum curation. In addition, a report shall be prepared by the qualified archeologist according to current professional standards.	Community Development Department,  Native American Heritage Commission	Prior to issuance of any grading or building permit, measures identified on plans shall be verified for compliance. The Community Development Department shall assure that measures are identified on construction plans and specifications and confirm compliance prior to

**Provence (P09-006)  
MITIGATION MONITORING PLAN**

	<p><b>CR-2:</b> If a Native American site is discovered, the evaluation process shall include consultation with the appropriate Native American representatives.</p> <p>a. If Native American archeological, ethnographic, or spiritual resources are involved, all identification and treatment shall be conducted by qualified archeologists, who are certified by the Society of Professional Archeologists (SOPA) and/or meet the federal standards as stated in the Code of Federal Regulations (36 CFR 61), and Native American representatives, who are approved by the local Native American community as scholars of the cultural traditions.</p> <p>b. In the event that no such Native American is available, persons who represent tribal governments and/or organizations in the locale in which resources could be affected shall be consulted. If historic archeological sites are involved, all identified treatment is to be carried out by qualified historical archeologists, who shall meet either Register of Professional Archeologists (RPA), or 36 CFR 61 requirements.</p> <p><b>CR-3:</b> If a human bone or bone of unknown origin is found during construction, all work shall stop in the vicinity of the find, and the County Coroner shall be contacted immediately. If the remains are determined to be Native American, the coroner shall notify the Native American Heritage Commission, who shall notify the person most likely believed to be a descendant. The most likely descendant shall work with the contractor to develop a program for re-interment of the human remains and any associated artifacts. No additional work is to take place within the immediate vicinity of the find until the identified appropriate actions have taken place.</p>		<p>issuance of any grading or building permit.</p>
<p>Hydrology and Water Quality</p>	<p><b>Hydro 1</b> Construction and operation of the project shall not commence prior to recertification of the Natomas levees by the USACE and FEMA, and the subsequent removal of Natomas Basin from the 100-year floodplain and associated flood zone redesignation; or until FEMA redesignates the Natomas Basin with a flood zone designation that would permit development of the proposed project. The above measures shall terminate upon the first recertification of the levees by the U.S. Army Corps of Engineers.</p>	<p>Community Development Department,  United States Army Corp of Engineers</p>	<p>Prior to issuance of any grading or building permit, measures identified on plans shall be verified for compliance. The Community Development Department</p>

**Provence (P09-006)  
MITIGATION MONITORING PLAN**

	<p><b>Hydro 2:</b> The project applicant shall participate in a funding mechanism such as an assessment district established by SAFCA and/or the City for the purpose of implementing measures that would provide no less than 100-year flood protection including the North Natomas Area, or for that portion of the Natomas Basin requiring re-certification for 100-year flood protection including the Project site provided that such funding mechanism is (i) based on a nexus study; (ii) is regional in nature; (iii) is proportionate; (iv) complies with all applicable laws and ordinances; and (3) the requirements of the applicable FEMA zone and corresponding requirements under the City of Sacramento's Floodplain Ordinance shall be satisfied prior to the issuance of building permits for the project. Any future homeowners within the floodzone shall maintain federal flood insurance, as required under the applicable FEMA and City of Sacramento Floodplain Management Ordinance regulations. The above measures shall terminate upon the first recertification of the levees by the U.S. Army Corps of Engineers.</p>		<p>shall assure that measures are identified on construction plans and specifications and confirm compliance prior to issuance of any grading or building permit.</p>
<p>Noise</p>	<p><b>Noise 1:</b> STC 32 rated window assemblies shall be installed in all second and third floor windows with a direct view of East Commerce Way.</p> <p><b>Noise 2:</b> Each residential unit shall include a mechanical ventilation system to allow occupants to keep windows and doors closed to achieve isolation from exterior noise sources.</p>	<p>Community Development Department</p>	<p>Prior to issuance of any grading or building permit, measures identified on plans shall be verified for compliance. The Community Development Department shall assure that measures are identified on construction plans and specifications and confirm compliance prior to issuance of any grading or building permit.</p>

**Attachment 3: PUD Schematic Plan Amendment – Draft Resolution**

**RESOLUTION NO.**

Adopted by the Sacramento City Council

**APPROVING A PUD SCHEMATIC PLAN AMENDMENT FOR THE NATOMAS CROSSING PUD (AREA 3) TO DESIGNATE MULTI-FAMILY RESIDENTIAL USE FOR THE PROVENCE PROJECT (P09-006)(APN: 225-2330-002-0000 through 225-2330-076-0000, 225-2680-002-0000 through 225-2680-083-0000, and 225-2690-002-0000 through 225-2690-069-0000)**

**BACKGROUND**

- A. On March 10, 2011, the City Planning Commission conducted a public hearing on, and forwarded to the City Council a recommendation to approve the PUD Schematic Plan Amendment for the Provence project.
- B. On April 19, 2011, the City Council conducted a public hearing, for which notice was given pursuant Sacramento City Code Section 17.200.010(C)(2)(a) and (c) (publication and mail 500'), and received and considered evidence concerning the Provence project.
- C. The proposed PUD Schematic Plan Amendment conforms to policies of the General Plan to provide adequate housing sites and opportunities for all households and to promote efficient development within a new growth area.
- D. The PUD Schematic Plan Amendment will not be injurious to the public welfare, nor to other properties in the vicinity of the development in that the project is compatible with adjacent developments and the site will be developed according to the requirements of the PUD Guidelines.

**BASED ON THE FACTS SET FORTH IN THE BACKGROUND, THE CITY COUNCIL RESOLVES AS FOLLOWS:**

- Section 1. The PUD Schematic Plan Amendment for the Provence Project (as shown on the attached Exhibit) is approved.

**Table of Contents:**

Exhibit 3A: PUD Schematic Plan Amendment – 1 page

Exhibit 3A: PUD Schematic Plan Amendment



**Attachment 4: Project Approval – Draft Resolution**

**RESOLUTION NO.**

Adopted by the Sacramento City Council

**ADOPTING FINDINGS OF FACT AND APPROVING THE PROVENCE  
PROJECT (P08-013)**

**BACKGROUND**

A. On March 10, 2011, the City Planning Commission conducted a public hearing on, and forwarded to the City Council a recommendation to approve the Provence project.

B. On April 19, 2011, the City Council conducted a public hearing, for which notice was given pursuant Sacramento City Code Section 17.200.010(C)(2)(a), (b), and (c) (publication, posting, and mail 500'), and received and considered evidence concerning the Provence project.

**BASED ON THE FACTS SET FORTH IN THE BACKGROUND, THE CITY COUNCIL  
RESOLVES AS FOLLOWS:**

Section 1. Based on the verbal and documentary evidence received at the hearing on the Provence project, the City Council approves the project based on the findings of fact and subject to the conditions of approval as set forth below.

Section 2. The City Council approves the Project entitlements based on the following findings of fact:

**A. Tentative Map:** The Tentative Map to create 28 residential condominium lots, 5 private street lots, 16 private drive lots and one landscape lot on 10.8 net acres is **approved** based on the following findings of fact:

1. None of the conditions described in Government Code Section 66474, subsection (a) through (g), inclusive, exist with respect to the proposed subdivision as follows:
  - a. The proposed subdivision, together with the provisions for its design and improvement, is consistent with the City's General Plan, all applicable community and specific plans, and Title 16 of the City Code, which is a specific plan of the City;

- b. The site is physically suitable for the type of development proposed and suited for the proposed density;
  - c. The design of the subdivision and the proposed improvements are not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife their habitat;
  - d. The design of the subdivision and the type of improvements are not likely to cause serious public health problems;
  - e. The design of the subdivision and the type of improvements will not conflict with easements, acquired by the public at large, for access through or use, of, property within the proposed subdivision.
2. The proposed subdivision, together with the provisions for its design and improvement, is consistent with the City General Plan and Title 16 Subdivisions of the City Code, which is a specific plan of the City (Gov. Code §66473.5);
  3. The discharge of waste from the proposed subdivision into the existing community sewer system will not result in a violation of the applicable waste discharge requirements prescribed by the California Regional Water Quality Board, Central Valley Region, in that existing treatment plants have a design capacity adequate to service the proposed subdivision (Gov. code §66474.6);
  4. The design of the proposed subdivision provides, to the extent feasible, for future passive or natural heating and cooling opportunities (Gov. Code §66473.1);
  5. The Planning Commission has considered the effect of the approval of this tentative subdivision map on the housing needs of the region and has balanced these needs against the public service needs of its residents and available fiscal and environmental resources (Gov. Code §66412.3).

**B. Special Permit:** The Special Permit to develop 233 condominium units in the Employment Center 50 Planned Unit Development (EC-50-PUD) is **approved** based on the following findings of fact:

1. A special permit shall be granted upon sound principles of land use.  
Staff finds that the proposed development is an appropriate land use that will have positive contribution to the surrounding area, in that the project site is in close proximity to future commercial and open space uses and that the site will be well served by auto, bicycle, and pedestrian linkages.
2. A special permit shall not be granted if it will be detrimental to the public health, safety or welfare, or if it results in the creation of a nuisance.  
Staff finds that the proposed condominium development site and building design are consistent with the Natomas Crossing PUD Guidelines and the Multi-Family

Residential Design Principles and will not be detrimental to public health, safety or welfare.

3. A special permit use must comply with the objectives of the general or specific plan for the area in which it is to be located.

The proposed project is consistent with the goals and policies of the employment center designation in the General Plan and the North Natomas Community Plan.

**C. Special Permit Major Modification:** The Special Permit to amend previous approval for 187 townhouse units per P06-194 is **approved** based on the following findings of fact:

1. A special permit shall be granted upon sound principles of land use.

Staff finds that the proposed condominium development is a better designed project than the previous approval on the site; the project provides more architectural variations and both private and public outdoor spaces for the occupants.

2. A special permit shall not be granted if it will be detrimental to the public health, safety or welfare, or if it results in the creation of a nuisance.

The project will not be detrimental to the public health, safety or welfare since the buildings will be constructed to meet code standards. Residential developments of this type have been approved in many areas of the city. Staff finds that the proposed development is consistent with the Natomas Crossing PUD Guidelines and the Multi-Family Residential Design Principles.

3. A special permit use must comply with the objectives of the general or specific plan for the area in which it is to be located.

The proposed project is consistent with the employment center and residential policies of the General Plan and the North Natomas Community Plan.

Section 3. The City Council approves the Project entitlements subject to the following conditions of approval:

### **Conditions of Approval**

- A. The **Tentative Map** to create 28 residential condominium lots, 5 private street lots, 16 private drive lots and one landscape lot on 10.8 net acres is hereby approved subject to the following conditions:

**NOTE: These conditions shall supersede any contradictory information shown on the Tentative Map or any contradictory provisions in the PUD guidelines approved for this project (P01-028). The design of any improvement not**

**covered by these conditions or the PUD Guidelines shall be to City standard.**

**GENERAL:** All Projects

- A1. Pay off existing assessments, or file the necessary segregation requests and fees to segregate existing assessments.
- A2. Pursuant to City Code Section 16.40.190, indicate easements on the Final Map to allow for the placement of centralized mail delivery units. The specific locations for such easements shall be subject to review and approval of the Department of Transportation after consultation with the U.S. Postal Service.
- A3. The applicant shall participate in the North Natomas Financing Plan, adopted by Resolution No. 94-495 on August 9, 1994, and updated by Resolution No 2005-584 on August 2, 2005, and shall execute any and all agreements, which may be required in order to implement this condition.
- A4. Comply with the North Natomas Development Guidelines and the PUD guidelines approved for this project (P01-028) to the satisfaction of the Planning Director and the Department of Transportation.
- A5. Private reciprocal ingress, egress, maneuvering and parking easements are required for future development of the area covered by this Tentative Map. The applicant shall enter into and record an Agreement For Conveyance of Easements with the City stating that a private reciprocal ingress/egress, maneuvering, and parking easement shall be conveyed to and reserved from each common access lots (A, B, C, D, E, F, H, I, J, K, L, M, N, O, P) to each individual Lot along the common Lot, and from all private street lots (G, Q, R, S, T and U) at no cost, at the time of sale or other conveyance of either parcel.
- A6. Comply with requirements included in the Mitigation Monitoring Plan developed by, and kept on file in, the Planning Division Office (P01-028).
- A7. Meet all conditions of the existing PUD (P01-028) unless the condition is superseded by a Tentative Map condition.
- A8. Meet all conditions of the development agreement.
- A9. Show all continuing and proposed/required easements on the Final Map.
- A10. Multiple Final Maps may be recorded. Prior to recordation of any Final Map all infrastructure/improvements necessary for the respective Final Map must be in place to the satisfaction of the Departments of Utilities, and Department of Transportation.
- A11. Prior to submittal of improvement plans for this project, the developer's design

consultant(s) shall participate in a pre-design conference with City staff. The purpose of this conference is to allow City staff and the design consultants to exchange information on project design requirements and to coordinate the improvement plan review process. Contact the Department of Transportation, Plan Check Engineer at 808-7915 to schedule the conference. It is strongly recommended that the conference be held as early in the design process as possible.

**Department of Transportation: Streets (Anis Ghobril, DOT, 808-5367)**

- A12. The applicant shall be responsible for the repair or replacement/reconstruction of any existing deteriorated curb, gutter and sidewalk fronting the property along East Commerce Way, Benefit Way and Advantage Court per City standards and to the satisfaction of the Department of Transportation. This shall include any needed street lighting.
- A13. The design and placement of walls, fences, signs and Landscaping near public intersections and private streets shall allow stopping sight distance per Caltrans standards and comply with City Code Section 12.28.010 (25' sight triangle). Walls shall be set back 3' behind the sight line needed for stopping sight distance to allow sufficient room for pilasters. Landscaping in the area required for adequate stopping sight distance shall be limited 3.5' in height. The area of exclusion shall be determined by the Department of Transportation.
- A14. This project shall require street lighting. There is an existing street lighting system around this project area. Improvements of right-of-way may require modification to the existing system. Electrical equipment shall be protected and remain functional during construction. The applicant shall provide acorn lighting as required along East Commerce Way to the satisfaction of the Department of Transportation.
- A15. The applicant shall make provisions for bus stops, shelters, etc. to the satisfaction of Regional Transit.
- A16. The applicant shall dedicate (if necessary) and construct bus turn-outs for all bus stops adjacent to the subject site to the satisfaction of the Department of Transportation.

**Department of Transportation: Private Streets (DOT)**

- A17. The applicant shall repair/reconstruct any deteriorated curb, gutter and sidewalks along the private streets to the satisfaction of the Department of Transportation.

**PUBLIC/PRIVATE UTILITIES (Yujean Kim, SMUD, (916) 732-5027)  
(Salam Khan, SASD, (916) 876-6094)**

- A18. Dedicate a standard 12.5 foot public utility easement (PUE) for underground and overhead facilities and appurtenances adjacent to all street right of ways.
- A19. Dedicate all private drives and 5-feet adjacent thereto, as public utility easement for underground and overhead facilities and appurtenances.
- A20. The owner or developer must disclose to future or potential owners the existing 69KV electrical facilities.
- A21. Sewer lines are already constructed and accepted by SASD. Any addition or modification to the SASD's sewer system shall be required to the satisfaction of SASD. SASD Design Standards apply to sewer construction or modification. (SASD)
- A22. While reconfiguring the lots, it must be ensured that each parcel shall have a separate connection to SASD public sewer system. If there is more than one building in any single parcel and the parcel is not proposed for split, then each building on that parcel shall have a separate connection to a private on-site sewer line or SASD public sewer line. (SASD)
- A23. Sewer easements have already been recorded for SASD sewer line installed within the project area. However, any modification to these sewer easements, if required, shall to the satisfaction of SASD. (SASD)
- A24. The subject project owner(s) and successors in interest thereof, shall be responsible for repair and/or replacement of all non-asphalt and/or enhanced surface treatments of streets and drives (such as stamped/colored/decorative concrete, concrete pavers, etc.) within these easements damaged by District maintenance and repair operations, including landscaping, channelization's, lighting, fountain area, sidewalk, and any other appurtenances conflicting therein. This requirement shall be set forth in easement grant documents and be a covenant running with the land, be responsibility of successors in interest in future land transfers and divisions and by language approved by the District. The District will only replace asphalt and standard concrete roadway/driveway disturbed due to maintenance/repair of its sewer line. If the repair is of decorative or stamped concrete, the District will only replace with standard concrete. (SASD)
- A25. Additional SASD/SRCSD Sewer impact fee (one time connection fee) may be required before issuance of building permits. Applicant should contact the Fee Quote Desk at (916) 876-6100 for sewer impact fee information. (SASD)

**CITY UTILITIES** (Jesus Reyes, Dept. of Utilities, 808-1721)

- A26. Applicant/Association shall execute an Agreement with the Department of Utilities (DOU) to assume ownership of the existing 8" public water line currently located in the existing private drives. The Agreement shall be to the satisfaction

of the DOU, Fire Department and the City Attorney.

- A27. Install 8" water meters and 8" RP back flow prevention assemblies at the two points of service (one at Benefit Way and the other one at Advantage Court) to the satisfaction of Department of Utilities. Meters shall be special meters suitable for use in combination Fire and Domestic water systems.
- A28. Applicant shall pay appropriate tap, meter and development fees associated with the installation of the special meters.
- A29. Water services for the existing townhouses (APN's: 225-2330-019, 020, 021, 022 & 023) shall be disconnected from the existing 8" water main and re-connected to the existing 12" public water main in East Commerce Way or Benefit Way. City will abandon the existing water services and install new water service taps to the point of service for fee. (Note: The existing water services may remain connected to the existing water main if the townhouses/lots become part of the Provence Master Association).
- A30. Abandon existing "Public Water Easements" (PWE) relating to the existing on-site public water main/appurtenances.
- A31. Execute and record a Utility Service Agreement (USA) approved by the City Attorney's Office and Department of Utilities.
- A32. If required, construct public water, sewer, drainage and service connections to the satisfaction of DOU.
- A33. All existing easements that are to remain and all existing right-of-ways shall be shown on the Final Map.
- A34. All onsite streets, drives, common areas, storm drain & water facilities shall be private facilities. Prior to or concurrent with the recording of the final map a homeowners association (HOA) shall be formed and C.C. & R.s shall be approved by the City and recorded assuring maintenance of the private streets, private drives, storm drainage facilities, water facilities and common areas. Private easements shall be dedicated for these facilities. The private street and drive maintenance shall include all pavement, curb, gutter and v-gutter.
- A35. Concurrent with the recordation of the final map, the applicant shall enter into and record an Agreement for Conveyance of Easements with the City, in a form acceptable to the City Attorney, requiring that private easements be granted, as needed, for drainage, water and sanitary sewer at no cost at the time of sale or other conveyance of any lot. A note stating the following shall be placed on the Final Map: "The lots created by this map shall be developed in accordance with recorded agreement for conveyance of easements # (Book\_\_\_\_, Page\_\_\_\_)."

**FIRE** (King Tunson, Fire Department, 808-1358)

- A36. Maintenance agreements shall be provided for the interior roadways of the proposed project and for the fire protection systems. The agreement shall be record with the Public Records Office having jurisdiction and shall provide for the following:
- a. Provisions for the necessary repair and maintenance of the roadway surface.
  - b. Removal of vegetation overgrowing the roadway and infringing on the roadway clear vertical height of thirteen feet six inches (13'6") and/or width of twenty feet (20').
  - c. Provisions for the maintenance, repair, and/or replacement of NO PARKING-FIRE LANE signage or striping.
  - d. Unrestricted use of and access to the roadways covered by the agreements.
  - e. Provisions for the control of vehicle parking in prohibited areas and a mechanism for the removal of vehicles illegally parked.
  - f. Maintenance and timely repair of all fire protection systems, including but not limited to hydrants, fire alarm systems and fire sprinklers.
- A37. Provide the required fire hydrants in accordance with CFC 508 and Appendix C, Section C105. Hydrant spacing shall be decreased where T courts are used. Hydrants shall be provided halfway between each T court, on one side of the street, and to the satisfaction of the Fire Department. *Due to the project increasing the number of units from 187 to 237, additional hydrants may be required.*

**PPDS:** Parks (Raymond Costantino, Parks Department, 808-8826)

- A38. **Payment of In-lieu Park Fee:** Pursuant to Sacramento City Code Chapter 16.64 (Parkland Dedication) the applicant shall pay to City an in-lieu park fee in the amount determined under SCC §§16.64.040 and 16.64.050 equal to the value of land prescribed for dedication under 16.64.030 and not satisfied by dedication. (See Advisory Note).
- A39. **Maintenance District:** The applicant shall initiate and complete the formation of a parks maintenance district (assessment or Mello-Roos special tax district), or annex the project into an existing parks maintenance district. The applicant shall pay all city fees for formation of or annexation to a parks maintenance district. (Contact Public Improvement Financing, Special Districts Project Manager. In assessment districts, the cost of neighborhood park maintenance is equitably spread on the basis of special benefit. In special tax districts, the cost of neighborhood park maintenance is spread based upon the hearing report, which specifies the tax rate and method of apportionment.).
- A40. **Multi-Use Trail:** A multi-use trail and adjacent landscaping shall be dedicated and constructed as specified below and in compliance with the Park Planning & Development Services (PPDS) "Multi-Use Trail Design Guidelines" available by contacting PPDS.

- 1 The City 2010 Bikeway Master Plan identifies an off-street multi-use trail on the southern portion of the project site, north of Snowy Egret Boulevard. The applicant shall comply with the Bikeway Master Plan and construct a multi-use trail in compliance with PPDS guidelines.
  - 2 The applicant shall submit and obtain PPDS approval of the alignment and design of the multi-use trail prior to submitting improvement plans for the trail.
  - 3 The proposed multi-use trail shall comply with Class I bike trail standards, including regulatory signage, as defined in Chapter 1000 of State Department of Transportation Highway Design Manual. The trail shall be a minimum 8' of asphalt concrete paving, with clear, graded shoulders that are a minimum of 2' in width. Shoulders should be decomposed granite or an alternate material approved by PPDS. Pavement sections shall be 3" minimum asphaltic concrete over 6" min of aggregate base, with a centerline stripe (refer to PPDS Trail detail and specification).
  - 4 Vehicular access controls shall be placed at the entrance to all access points to the trail (refer to PPDS details and specifications for approved designs). Access to the trail via Lots CC, DD and EE, along Colmars, Bastille and Garonne Walks is encouraged.
  - 5 Wherever possible and as approved by PPDS and the Department of Utilities, multi-use trails shall be designed as joint-use with utility service roads utilizing the service roads aggregate base as the trail's aggregate base course. Applicant shall design the pavement to meet all required design loads.
  - 6 Where a multi-use trail is located adjacent to any embankment with a greater than 4:1 slope, the Applicant shall, at his expense, install a post-and-cable fence along the top of the embankment, between the embankment and the multi-use trail.
  - 7 Residential lots adjoining the trail should be fenced w/ open tubular steel fencing.
  - 8 The Applicant shall disclose the location of the planned multi-use trail to all future/potential owners of parcels within the subdivision.
- A41. **New Private Facility Credits:** The Carriage Lane III (P05-079) development project, previously approved for this site, has a Private Facilities Agreement (City Agreement No. 2006-0298) which allowed 5% parkland dedication credit in exchange for the development of a private pool for the use of all residents in the then 187 unit subdivision. That Agreement is not transferable to this project. Prior to recording a Final Map, Applicant may opt to enter into a new private facilities agreement for the 238 units (including the 5 existing units), in which

case the following shall apply.

City Code Chapter 16.64, Sections 16.64.100, 110 and 120 address granting of private recreation facility credits. The city may grant credits for privately owned and maintained open space or local recreation facilities, or both, in planned developments as defined in Section 11003 of the Business and Professions Code, condominiums as defined in Section 783 of the Civil Code, and other common interest developments. Such credit, if granted in acres, or comparable in lieu fees, shall not exceed twenty-five (25) percent of the dedication or fees, or both, otherwise required under this chapter and no more than five percent per category of open space or recreational facilities described in this Chapter under 16.64.100.

Should the applicant elect to request City consideration of private facilities credit, contact PPDS at least three (3) months prior to recordation of Final Map. The Private Facilities Agreement will require City Council approval and must be in place prior to recordation of the Final Map.

## **MISCELLANEOUS**

- A42. Title to any property required to be dedicated to the City in fee shall be conveyed free and clear of all rights, restrictions, easements, impediments, encumbrances, liens, taxes, assessments or other security interests of any kind (hereafter collectively referred to as "Encumbrances"), except as provided herein. The applicant shall take all actions necessary to remove any and all Encumbrances prior to approval of the Final Map and acceptance of the dedication by City, except that the applicant shall not be required to remove Encumbrances of record, including but not limited to easements or rights-of-way for public roads or public utilities, which, in the sole and exclusive judgment of the City, cannot be removed and/or would not interfere with the City's future use of the property. The applicant shall provide title insurance with the City as the named beneficiary assuring the conveyance of such title to City.
- A43. Form a Homeowner's Association. CC&R's shall be approved by the City and recorded assuring maintenance of private roadway(s). The Homeowner's Association shall maintain all private streets, common lights, common landscaping and common areas.

## **ADVISORY NOTES:**

The following advisory notes are informational in nature and are not a requirement of this Tentative Map:

- A44. Prior to the issuance of any building permits, provide the City with a copy of the certificate of payment of any school fees for the applicable school district(s). (DOT)
- A45. If unusual amounts of bone, stone, or artifacts are uncovered, work within 50

meters of the area will cease immediately and a qualified archaeologist shall be consulted to develop, if necessary, further mitigation measures to reduce any archaeological impact to a less than significant effect before construction resumes. A note shall be placed on the final improvement plans referencing this condition. (DOT)

- A46. Dedicate slope easements and right-of-way necessary, for the Snowy Egret Boulevard overcrossing to the satisfaction of the Department of Transportation. The appropriate slope easements will be determined during the plan check phase of the improvement plans for this map. The Snowy Egret overcrossing shall line up with the street on the west side of I-5, to the satisfaction of the Department of Transportation. If a retaining wall is used in the construction of the overcrossing, then an engineering design shall be submitted to the satisfaction of the Department of Transportation. (DOT)
- A47. SASD policy prohibits gates that prevent access within sewer easements unless SASD standards for accessibility through gates are met. (SASD)
- A48. Any use of SASD sewer easements, which is not compatible or interferes with the construction, reconstruction, operation, maintenance, or repair of the SASD's sanitary sewer(s), shall not be allowed. Each proposed use shall be reviewed and approved in writing by the District Engineer prior to the use of the easement by the Grantor. This includes landscaping. (SASD)
- A49. A sewer study entitled Carriage Lane III was approved and the sewer infrastructure for this project has been constructed and accepted by SASD. (SASD)
- A50. As per City Code, the applicant will be responsible to meet his/her obligations regarding: (Parks)
- 1 Title 16, 16.64 Park Dedication / In Lieu (Quimby) Fees, due prior to approval of the final map. The Quimby in-lieu fee due for this project is estimated at \$401,610, if there is no new private facilities agreement, or \$382,866 if a new private facilities agreement is approved by City Council before the final map. Option 1 is based on 46 new multi-family units (difference between 233 and 187) and an average land value of \$687,500 per acre for the North Natomas Planning Area, plus an additional 20% for off-site park infrastructure improvements (which totals \$333,960), plus reimbursable to City of the 5% Quimby credit received on P05-079 for 187 units (\$67,650). Any change in these factors will change the amount of the Quimby fee due. The final fee is calculated using factors at the time of payment.
  - 2 Option 2 is based on 233 multi-family units and an average land value of \$687,500 per acre for the North Natomas Planning Area, plus an additional 20% for off-site park infrastructure improvements (which totals 1,691,580), less 5% Credit for new Private Facilities Agreement on 238 units for P06-006

(\$86,394), less Allegheny Credits applied to Quimby Obligation for P05-079 (\$1,289,970), plus reimbursable to City of the 5% Quimby credit received on P05-079 for 187 units (\$67,650). Any change in these factors will change the amount of the Quimby fee due. The final fee is calculated using factors at the time of payment.

- 3 Title 18, 18.44 Park Development Impact Fee, due at the time of issuance of building permit. The Park Development Impact Fee due for this project is estimated at \$712,514. This is based on 233 multi-family units at the rate of \$3,058 per unit. Any change in these factors will change the amount of the PIF due. The fee is calculated using factors at the time that the project is submitted for building permit.
- 4 Community Facilities District 2002-02, Neighborhood Park Maintenance CFD Annexation.

B. The **Special Permit** to develop 233 condominium units in the Employment Center 50 Planned Unit Development (EC-50-PUD) is hereby approved subject to the following conditions:

### Planning

- B1. This approval is for the construction of 233 condominium units per attached exhibits. Any change in the design, materials, or colors from this approval shall be submitted to the Planning Division for review and determination for further actions.
- B2. The applicant shall obtain all necessary building permits prior to commencement of construction.
- B3. Building plans and elevations shall be plotted that no two same elevations and no two color schemes are adjacent to one another.
- B4. Provide an ownership association responsible for the care and maintenance of all common areas and common improvements and any other interest common to the condominium owners. Complete and true copies of all covenants, conditions and restrictions, articles of incorporation and by-laws shall be subject to review and approval by the city prior to occupancy as a condominium unit.
- B5. The homeowner's association shall conduct periodic inspections, not less than monthly, of the exterior of all buildings, trash enclosures and recreation facilities.
- B6. The homeowner's association shall establish and conduct a regular program of routine maintenance for the property. Such a program shall include common areas and scheduled repainting, replanting and other similar activities that

typically require attention at periodic intervals but not necessarily continuous. Owner/Operator shall repaint or retreat all painted or treated areas at least once every 8 years; provided that the Planning Director may approve less frequent painting or re-treatment upon a determination that less frequent repainting or re-treatment is appropriate, given the nature of the materials used or other factors. The program shall be subject to review and approval by the Planning Director.

- B7. The homeowner's association shall maintain landscaping and irrigation in a healthy and serviceable condition.
- B8. The homeowner's association shall indicate and maintain all locations of parking stalls for handicapped/disabled access and strictly enforce rules related thereto.
- B9. Each condominium unit shall comply with the state of California's Noise Insulation Standards (California Amended Code Section 1092).
- B10. Each condominium unit shall provide the following:
  - a. A separate sewer service hookup; provided, that the planning commission may permit the use of common sewer lines that are oversized by one size or more, or which are hydraulically designed with the concurrence of the city engineer, finds the common sewer lines can adequately service the condominiums and that separate service hookups would not be feasible. For this provision, the Planning Commission is delegating the approval to the Planning Director subject to concurrence with the Public Works Director and the Utilities Department.
  - b. A separate water service hookup or shutoff; provided, that the planning commission may permit a single water system to service more than one condominium unit where shutoffs are provided wherever practicable and where the planning commission, with the concurrence of the city engineer, finds that the single water system can adequately service the condominiums and separate service hookups or shutoffs are not feasible. For this provision, the Planning Commission is delegating the approval to the Planning Director subject to concurrence with the Public Works Director and the Utilities Department.
  - c. A separate gas service where gas in a necessary utility.
  - d. A separate electrical service, with separate meters and disconnects and ground fault interrupters where and as required by Building Code.
- B11. Each unit of a condominium project, and all commonly owned portions of a Condominium building shall comply with all applicable building code standards. Nothing herein shall be construed to prevent or prohibit the applicant or the city from providing or requiring building standards greater than those set forth in the

Building Code where the greater standards are found to be necessary to carry out the purposes and objectives of this chapter. (Ord. 99-015 § 6-3-D)

B12. Landscaping & Walls and Fencing:

- a. The project shall comply with the City's Tree Shading Ordinance which requires 50 percent shading of the parking area within 15 years.
- b. Install two 15-gallon trees per lot frontage, with the average spacing of 30' on center, as measured along the entire length of the street.
- c. All landscaping and planting shall conform to City standards for sight line requirements at intersections and driveways.
- d. All mechanical equipment shall be located within enclosed cabinets or screened by landscaping and/or screening/fencing.
- e. In order to provide adequate surveillance opportunities, all *plants and shrubs* are to be maintained at maximum height of thirty inches (30"); the lowest branch height shall be at least six feet (6'). Decorative planting shall be maintained so as not to obstruct or diminish lighting level throughout the project.
- f. Walls and fences shall conform to City standards for sight line requirements at intersections and driveways.

B13. The applicant shall comply with the City's Recycling Ordinance (Section 17.72).

B14. Signage:

- a. All detached signs shall be monument-type, constructed of masonry with finish materials and colors, which are consistent with building architecture. One detached monument sign is permitted and may be located within a landscape setback area but no closer than 10 feet from public right-of-way.
- b. Attached signage shall consist of address numbers only.
- c. All signage shall comply with the Natomas Crossing PUD signage criteria; a sign permit shall be obtained prior to construction of any sign.

B15. Lighting:

- a. The type and location of the outdoor lighting (building, parking lot, walkway, etc.) must be approved by the Planning Director prior to issuance of a building permit. Lighting shall be provided in garage areas and each building address number shall be illuminated.

- b. Project lighting shall be provided as follows: one foot-candle of minimum maintained illumination per square foot of parking space and exterior walkways/sidewalks during hours of darkness and 0.25 foot-candle of minimum maintained illumination per square foot of surface on any interior walkway, alcove, passageway, etc., from one-half hour before dusk to one-half hour after dawn. All light fixtures are to be vandal-resistant.
  - c. Per Section 17.68.030(B), exterior lighting, if provided, shall reflect away from residential areas and public streets.
  - d. Fixtures shall be unobtrusive and complementary to the architectural design of the building. Lighting shall be designed so as not to produce hazardous and annoying glare to motorists and building occupants, adjacent residents, or the general public.
- B16. The applicant shall comply with the approved Mitigation Monitoring Plan (P09-006) on file at the Planning Division.
- B17. The final playground shade structure and sculptures specifications shall be submitted for review and approval by the Planning Director prior to the issuance of building permit.
- B18. The final building color palette shall be submitted for review and approval by the Planning Director prior to the issuance of building permit.
- B19. The applicant shall paint electrical meters/cabinets, telephone connection boxes and other utility appurtenances to match the building to which they are attached.
- B20. *If security becomes a concern and if deemed necessary by the Police Department*, the applicant shall contract with a reputable security firm to provide on-site security, night and day.
- B21. Prior to the issuance of any building permits, the applicant shall provide the City with a copy of the certificate of payment of school fees for the applicable school district(s).
- B22. This approval does not include any vehicular gates. Any proposal for vehicular gates will require an additional Special Permit subject to approval by the Planning Commission.
- B23. Condominiums addressing shall be to City standards.
- B24. The pool and tot lot shall be used by tenants and their guests only.
- B25. Auto repairs are not permitted at any time, except in emergencies, such as flat tire or dead battery.

B26. Visitor parking shall be strictly enforced.

### **Department of Transportation**

B27. The applicant shall be responsible for the repair or replacement/reconstruction of any existing deteriorated curb, gutter and sidewalk fronting the property along East Commerce Way, Benefit Way and Advantage Court per City standards and to the satisfaction of the Department of Transportation. This shall include any needed street lighting.

B28. This project shall require street lighting. There is an existing street lighting system around this project area. Improvements of right-of-way may require modification to the existing system. Electrical equipment shall be protected and remain functional during construction. The applicant shall provide acorn lighting as required along East Commerce Way to the satisfaction of the Department of Transportation.

B29. The design and placement of walls, fences, signs and Landscaping near public intersections and private Streets shall allow stopping sight distance per Caltrans standards and comply with City Code Section 12.28.010 (25' sight triangle). Walls shall be set back 3' behind the sight line needed for stopping sight distance to allow sufficient room for pilasters. Landscaping in the area required for adequate stopping sight distance shall be limited 3.5' in height. The area of exclusion shall be determined by the Department of Transportation.

B30. The applicant shall repair/reconstruct any deteriorated curb, gutter and sidewalks along the private streets to the satisfaction of the Department of Transportation.

B31. Form a Homeowner's Association. CC&R's shall be approved by the City and recorded assuring maintenance of private roadway(s). The Homeowner's Association shall maintain all private streets, common lights, common landscaping and common areas.

### **Fire**

B32. Install gate at emergency vehicle access at East Commerce Way.

### **Utilities**

B33. Applicant/Association shall execute an Agreement with the Department of Utilities (DOU) to assume ownership of the existing 8" public water line currently located in the existing private drives. The Agreement shall be to the satisfaction of the DOU, Fire Department and the City Attorney.

B34. Install 8" water meters and 8" RP back flow prevention assemblies at the two points of service (one at Benefit Way and the other one at Advantage Court) to

the satisfaction of Department of Utilities. Meters shall be special meters suitable for use in combination Fire and Domestic water systems.

- B35. Applicant shall pay appropriate tap, meter and development fees associated with the installation of the special meters.
- B36. Water services for the existing townhouses (APN's: 225-2330-019, 020, 021, 022 & 023) shall be disconnected from the existing 8" water main and re-connected to the existing 12" public water main in East Commerce Way or Benefit Way. City will abandon the existing water services and install new water service taps to the point of service for fee. (Note: The existing water services may remain connected to the existing water main if the townhouses/lots become part of the Provence Master Association)
- B37. Abandon existing "Public Water Easements" (PWE) relating to the existing on-site public water main/appurtenances.
- B38. All water connections shall comply with the City of Sacramento's Cross Connection Control Policy.
- B39. Per Sacramento City Code, water meters shall be located at the point of service which is located at the back of curb for separated sidewalks or the back of walk for connected sidewalks or at a location acceptable to DOU.
- B40. All onsite streets, drives, common areas, storm drain & water facilities shall be private facilities. A homeowners association (HOA) shall be formed and C.C. & R.s shall be approved by the City and recorded assuring maintenance of the private streets, private drives, storm drainage facilities, water facilities and common areas. Private easements shall be dedicated for these facilities. The private street and drive maintenance shall include all pavement, curb, gutter and v-gutter. If required by the Department of Utilities (DOU), the responsible maintenance agency shall enter into and record an agreement with the City regarding the maintenance of these facilities. The agreement shall be to the satisfaction of the DOU and the City Attorney.
- B41. Prior to issuance of a building permit, the owners and ownership association shall enter into a utility service agreement with the City to receive such utility services at points of service designated by the DOU. Such agreement shall provide, among other requirements, for payment of all charges for the storm drainage and water services, shall authorize discontinuance of utility services at the City's point(s) of service in the event that all or any portion of such charges are not paid when and as required, shall require compliance with all relevant utility billing and maintenance requirements of the City, and shall be in a form approved by the City Attorney.
- B42. Per City Code, the Subdivider may not develop the project in any way that obstructs, impedes, or interferes with the natural flow of existing off-site drainage

that crosses the property. The project shall construct the required public and/or private infrastructure to handle off-site runoff to the satisfaction of the DOU. If private infrastructure is constructed to handle off-site runoff, the applicant shall dedicate the required private easements and/or, at the discretion of the DOU, the applicant shall enter into and record an Agreement for Maintenance of Drainage with the City, in a form acceptable to the City Attorney.

- B43. The proposed development is located within Sacramento Area Sewer District (SASD) Satisfy all SASD requirements.
- B44. A grading plan showing existing and proposed elevations is required. All lots/parcels shall be graded so that drainage does not cross property lines or private drainage easements shall be dedicated. Adjacent off-site topography shall also be shown to the extent necessary to determine impacts to existing surface drainage paths. At a minimum, one-foot off-site contours within 100 feet of the project boundary are required (per Plate 2, page 3-7 of the City Design and Procedures Manual). No grading shall occur until the grading plan has been reviewed and approved by the DOU.
- B45. This project is greater than 1 acre in size; therefore, the project is required to comply with the State "NPDES General Permit for Stormwater Discharges Associated with Construction Activity" (State Permit). To comply with the State Permit, the applicant will need to file a Notice of Intent (NOI) with the State Water Resources Control Board (SWRCB) and prepare a Stormwater Pollution Prevention Plan (SWPPP) prior to construction. A copy of the State Permit and NOI may be obtained from [www.swrcb.ca.gov/stormstr/construction.html](http://www.swrcb.ca.gov/stormstr/construction.html). The SWPPP will be reviewed by the DOU prior to issuing a grading permit. The following items shall be included in the SWPPP: (1) vicinity map, (2) site map, (3) list of potential pollutant sources, (4) type and location of erosion and sediment BMP's, (5) name and phone number of person responsible for SWPPP and (6) certification by property owner or authorized representative.
- B46. The applicant must comply with the City of Sacramento's Grading, Erosion and Sediment Control Ordinance. This ordinance requires the applicant to show erosion and sediment control methods on the subdivision improvement plans. These plans shall also show the methods to control urban runoff pollution from the project site during construction.
- B47. Post construction (permanent), stormwater quality control measures shall be incorporated into the development to minimize the increase of urban runoff pollution caused by development of the area. Since the project is in an area served by a regional water quality control facility, only source control measures are required. Storm drain message and signage is required at all drain inlets. Improvement plans must include the source controls measures selected for the site. Refer to the latest edition of the "Guidance Manual for On-Site Stormwater Quality Control Measures" for appropriate source control measures.

Advisory notes for the **Special Permit**:

1. Since December 8, 2008, the proposed project has been in a 100-year flood plain, designated as an AE zone by the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Maps (FIRMs). The base flood elevation (“BFE”) for the Natomas Basin is 33’ feet above sea level. The DOU expects the area to be taken out of the 100-year floodplain in 2012. Contact Nancy Dorfer (916-808-3539) for more information and updates on this issue. City Code Chapter 15.104 Floodplain Management Regulations require that any new construction of and/or substantial improvement to any structure located in Zone AE must have the lowest floor, including the basement, elevated a minimum of one (1) foot above the BFE. Non-residential structures have the option of flood proofing to one (1) foot above the BFE in lieu of the elevation requirement.
2. Unless otherwise approved by the Department of Utilities (DOU), all sanitary sewer, storm drain, water, and flood control improvements shall be in place and fully functioning prior to issuance of any building permits within the subject area.
3. **Many projects within the City of Sacramento require on-site booster pumps for fire suppression and domestic water systems.** Prior to design of the subject project, the DOU suggests that the applicant request a water supply test to determine what pressure and flows the surrounding public water distribution system can provide to the site. This information can then be used to assist the engineers in the design of the on-site fire suppression system.










Exhibit 4E – Circulation Plan



Exhibit 4F – East Commerce Views Looking Southwest & West – With Trees



Note: Different monitors and printers may skew colors. Please reference the color boards provided for "true color and contrast."

Building: 53  
 Type: 8  
 Elevation: A  
 Color Scheme: 3

Building: 52  
 Type: 8  
 Elevation: C  
 Color Scheme: 4

Building: 51  
 Type: 6-9  
 Elevation: A  
 Color Scheme: 1

Building: 46  
 Type: 6-9  
 Elevation: B  
 Color Scheme: 2

Building: 45  
 Type: 1-4  
 Elevation: C  
 Color Scheme: 3

**PROVENCE**

2/24/2011



Courts - East Commerce Way looking Southwest -With Trees



Note: Different monitors and printers may skew colors. Please reference the color boards provided for "true color and contrast."

Building: 53  
Type: 8  
Elevation: A  
Color Scheme: 3

Building: 52  
Type: 8  
Elevation: C  
Color Scheme: 4

Building: 51  
Type: 6-9  
Elevation: A  
Color Scheme: 1

Building: 46  
Type: 6-9  
Elevation: B  
Color Scheme: 2

Building: 45  
Type: 1-4  
Elevation: C  
Color Scheme: 3

**PROVENCE**

2/24/2011



Courts - East Commerce Way looking West -With Trees

Exhibit 4G – East Commerce Views Looking Southwest & West – Without Trees



Note: Different monitors and printers may skew colors. Please reference the color boards provided for "true color and contrast."

Building: 53  
 Type: 8  
 Elevation: A  
 Color Scheme: 3

Building: 52  
 Type: 8  
 Elevation: C  
 Color Scheme: 4

Building: 51  
 Type: 6-9  
 Elevation: A  
 Color Scheme: 1

Building: 46  
 Type: 6-9  
 Elevation: B  
 Color Scheme: 2

Building: 45  
 Type: 1-4  
 Elevation: C  
 Color Scheme: 3

**PROVENCE**

2/24/2011



Courts - East Commerce Way looking Southwest -Without Trees



Note: Different monitors and printers may skew colors. Please reference the color boards provided for "true color and contrast."

Building: 53
Type: 8
Elevation: A
Color Scheme: 3

Building: 52
Type: 8
Elevation: C
Color Scheme: 4

Building: 51
Type: 6-9
Elevation: A
Color Scheme: 1

Building: 46
Type: 6-9
Elevation: B
Color Scheme: 2

Building: 45
Type: 1-4
Elevation: C
Color Scheme: 3


## PROVENCE

2/24/2011



Courts - East Commerce Way looking West -Without Trees

Exhibit 4H – Courts – House Plans and Elevations




SECOND FLOOR

FIRST FLOOR

UNIT 1 & 4  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'

1/4" = 1'-0"


**PROVENCE - COURTS**  
RC NATOMAS, LLC



NOTE: THESE COULD BE SUBJECT TO CHANGE WITHOUT NOTICE. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF THESE PLANS. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF THESE PLANS. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF THESE PLANS.




AREA ANALYSIS	
<b>UNIT 1</b>	
FIRST FLOOR	324 SF 5.3'
SECOND FLOOR	324 SF 5.3'
<b>TOTAL LIVING AREA</b>	<b>648 SF 10.6'</b>
GARAGE	180 SF 3.2'
PORCH	88 SF 1.6'
<b>Total Area</b>	<b>916 SF 16.4'</b>
<b>UNIT 4</b>	
FIRST FLOOR	56 SF 1.0'
SECOND FLOOR	462 SF 8.5'
THIRD FLOOR	462 SF 8.5'
<b>TOTAL LIVING AREA</b>	<b>980 SF 18.0'</b>
GARAGE	277 SF 5.1'
DECK	80 SF 1.5'
<b>Total Area</b>	<b>1339 SF 24.6'</b>



ROOF PLAN



THIRD FLOOR



NOTE: THESE FLOOR PLANS ARE FOR INFORMATION ONLY. THE SHOWN AREA IS THE SHOWN AREA. ANY CHANGES TO THE SHOWN AREA ARE SUBJECT TO THE ARCHITECT'S AND ENGINEER'S REVIEW.

1 - THIS FLOOR PLAN IS FOR INFORMATION ONLY. THE SHOWN AREA IS THE SHOWN AREA. ANY CHANGES TO THE SHOWN AREA ARE SUBJECT TO THE ARCHITECT'S AND ENGINEER'S REVIEW.

2 - THIS FLOOR PLAN IS FOR INFORMATION ONLY. THE SHOWN AREA IS THE SHOWN AREA. ANY CHANGES TO THE SHOWN AREA ARE SUBJECT TO THE ARCHITECT'S AND ENGINEER'S REVIEW.

UNIT 1 & 4  
THIRD FLOOR / ROOF PLAN  
ELEVATION STYLE - 'A'

1/11/11



PROVENCE - COURTS  
RC NATOMAS, LLC

2/11/11



1/11


AREA ANALYSIS	
<b>UNIT 1</b>	
FIRST FLOOR	324 SF S.F.
SECOND FLOOR	324 SF S.F.
TOTAL LIVING AREA	648 SF S.F.
GARAGE	789 SF S.F.
POORCH	68 SF S.F.
TOTAL AREA	1495 SF S.F.
<b>UNIT 4</b>	
FIRST FLOOR	36 SF S.F.
SECOND FLOOR	425 SF S.F.
THIRD FLOOR	464 SF S.F.
TOTAL LIVING AREA	894 SF S.F.
GARAGE	277 SF S.F.
DECK	50 SF S.F.
TOTAL AREA	1166 SF S.F.



# A

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'



PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING. INTERIOR FINISHES, THE FLOORING AND INTERIOR FIXTURES ARE NOT SHOWN.

1 - THESE ELEVATIONS INCLUDE THE EXTERIOR OF THE BUILDING.  
2 - THESE ELEVATIONS INCLUDE THE EXTERIOR OF THE BUILDING.  
3 - THESE ELEVATIONS INCLUDE THE EXTERIOR OF THE BUILDING.  
4 - THESE ELEVATIONS INCLUDE THE EXTERIOR OF THE BUILDING.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	SHAPED TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISH
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	




# A

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC





LS 11



NOTE: THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING. REFER TO THE KEY PLAN FOR THE FOLLOWING AND ASSOCIATED NOTES:  
1 - THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING.  
2 - THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING.  
3 - THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING.  
4 - THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WASTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISH
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

4 OF 62



FRONT ELEVATION I

REAR ELEVATION

# B

SEE 'A' ELEVATIONS FOR SIDES

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'


1/4"=1'-0"

## PROVENCE - COURTS RC NATOMAS, LLC

2/28/2010



LS 11





NOTE: THESE ELEVATIONS REPRESENT THE CURRENT CONCEPT FOR THE BUILDING. ANY CHANGES TO THE DESIGN OR MATERIALS SHOULD BE NOTICED AND APPROVED BY THE ARCHITECT. THESE ELEVATIONS ARE FOR INFORMATION ONLY. THE FOLLOWING ARE ASSUMPTIONS:

1 - THESE ELEVATIONS REPRESENT THE CURRENT CONCEPT FOR THE BUILDING. ANY CHANGES TO THE DESIGN OR MATERIALS SHOULD BE NOTICED AND APPROVED BY THE ARCHITECT. THESE ELEVATIONS ARE FOR INFORMATION ONLY. THE FOLLOWING ARE ASSUMPTIONS:

2 - THESE ELEVATIONS REPRESENT THE CURRENT CONCEPT FOR THE BUILDING. ANY CHANGES TO THE DESIGN OR MATERIALS SHOULD BE NOTICED AND APPROVED BY THE ARCHITECT. THESE ELEVATIONS ARE FOR INFORMATION ONLY. THE FOLLOWING ARE ASSUMPTIONS:

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WAFER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FININGS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



C

SEE 'A' ELEVATIONS FOR SIDES

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'


1/8"=1'-0"

PROVENCE - COURTS  
RC NATOMAS, LLC

2009-06-03





1.5.11



NOTE: REFER TO ELEVATION SCHEDULE FOR COLOR CODES FOR THIS BUILDING. REFER TO THIS STYLE FOR WALLS AND ARCHITECTURAL DETAILS.  
1 - 1/2" THICK TYPICAL ENGINEERED WOOD I JOIST OR 2" x 12" WOOD.  
2 - 1" THICK TYPICAL ENGINEERED WOOD I JOIST OR 2" x 12" WOOD.  
3 - 1" THICK TYPICAL ENGINEERED WOOD I JOIST OR 2" x 12" WOOD.  
4 - 1" THICK TYPICAL ENGINEERED WOOD I JOIST OR 2" x 12" WOOD.  
5 - 1" THICK TYPICAL ENGINEERED WOOD I JOIST OR 2" x 12" WOOD.


TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WASTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FININGS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED RAIL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



# A


UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




NOTE: REFER TO EXISTING ELEVATIONS FOR COLOR AND MATERIALS. REFER TO UNIT STYLE FOR FLOORING AND INTERIORS. REFER TO UNIT STYLE FOR FLOORING AND INTERIORS. REFER TO UNIT STYLE FOR FLOORING AND INTERIORS.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WAFER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FININGS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



1A  
ENHANCED LEFT SIDE ELEVATION II



1A  
ENHANCED RIGHT SIDE ELEVATION II


# A

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

1/4"=1'-0"  
**PROVENCE - COURTS**  
RC NATOMAS, LLC




1.5.11



NOTE: REFER TO ALL OTHER ELEVATIONS FOR THE SAME UNIT OF THE SAME BUILDING REFER TO UNIT STYLE, THE FOLLOWING ARE INDICATED IN THIS KEYPLAN  
1 = OTHER ELEVATION ELEVATION IN THE SAME UNIT OF BUILDING  
2 = OTHER ELEVATION ELEVATION IN THE SAME UNIT OF BUILDING  
3 = OTHER ELEVATION ELEVATION IN THE SAME UNIT OF BUILDING  
4 = OTHER ELEVATION ELEVATION IN THE SAME UNIT OF BUILDING

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WASTER TAIL
<input type="checkbox"/>	STONE PATTERNS VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISH
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

8 OF 62



1B

ENHANCED RIGHT SIDE ELEVATION I

# B

SEE 'A' ELEVATIONS FOR STANDARD SIDES


UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

1/4"=1'-0"

## PROVENCE - COURTS RC NATOMAS, LLC





1.5.11



NOTE: REFER TO ELEVATION FOR FINISHES ON THE NUMBER OF THE UNIT BEING SHOWN.  
REFER TO WALL SECTION FOR FINISHES AND HEIGHTS OF WALLS.  
1 - 1/2" X 4" EXTERIOR FINISHES ON ALL FLOORS 2" X 4" WOOD  
2 - 1/2" X 4" EXTERIOR FINISHES ON CHINA WOODWORK 1/2" X 4" WOOD  
3 - 1/2" X 4" EXTERIOR FINISHES ON WALLS 1/2" X 4" WOOD

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASGIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAPHER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL

\* ALL METAL AND JOINT ELEMENTS TO BE PAINTED



# C

SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'


1/4"=1'-0"

## PROVENCE - COURTS RC NATOMAS, LLC

2009-0003




1.5.11



NOTE: REFER TO SECTION 050500-0000 FOR THE NAME AND ADDRESS OF THE BUILDING OWNER FOR MORE INFO. THE FOLLOWING ARE ASSUMPTIONS:  
1 - THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING.  
2 - THESE ELEVATIONS ARE FOR THE EXTERIOR OF THE BUILDING.  
3 - THESE ELEVATIONS ARE FOR THE EXTERIOR OF THE BUILDING.  
4 - THESE ELEVATIONS ARE FOR THE EXTERIOR OF THE BUILDING.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FABRICA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	WASTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISH
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

10 OF 62



1A  
ENHANCED RIGHT SIDE ELEVATION II

# C

SEE 'A' ELEVATIONS FOR STANDARD SIDES


UNIT 1 & 4  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

1/4"=1'-0"

## PROVENCE - COURTS RC NATOMAS, LLC




1.5.11




NOTE: METAL ELEMENTS ARE FINISHED ON THE INSIDE OF THE FRAME INCLUDING  
INSIDE THE FRAME STUDS. THE TOSSING AND ANCHORS TO SHEET  
1 - 1/2" X 1/2" ANCHORS (MINIMUM) AT EVERY 24" X 24" MAX.  
2 - 1/2" X 1/2" ANCHORS (MINIMUM) AT EVERY 24" X 24" MAX.  
3 - 1/2" X 1/2" ANCHORS (MINIMUM) AT EVERY 24" X 24" MAX.  
4 - 1/2" X 1/2" ANCHORS (MINIMUM) AT EVERY 24" X 24" MAX.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAPHER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND JOINT ELEMENTS TO BE PAINTED	

11 OF 62



SECOND FLOOR



FIRST FLOOR

UNIT 2 & 3  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'


1/11/11

PROVENCE - COURTS  
RC NATOMAS, LLC

1/11/11




1/11



NOTES: THESE FLOOR PLANS SHOW THE UNIT'S LAYOUT AND ARE NOT TO BE USED FOR CONSTRUCTION. THE UNIT'S LAYOUT AND ARE NOT TO BE USED FOR CONSTRUCTION. THE UNIT'S LAYOUT AND ARE NOT TO BE USED FOR CONSTRUCTION.


AREA ANALYSIS	
<b>UNIT 2</b>	
FIRST FLOOR ENTRY	124.83 S.F.
SECOND FLOOR	377.40 S.F.
THIRD FLOOR	126.50 S.F.
<b>TOTAL LIVING AREA</b>	<b>628.73 S.F.</b>
GARAGE	380.58 S.F.
DECK	74.25 S.F.
<b>Net area</b>	<b>1083.56 S.F.</b>
<b>UNIT 3</b>	
FIRST FLOOR ENTRY	124.83 S.F.
SECOND FLOOR	419.58 S.F.
THIRD FLOOR	483.55 S.F.
<b>TOTAL LIVING AREA</b>	<b>1027.96 S.F.</b>
GARAGE	422.82 S.F.
DECK	89.91 S.F.
<b>Net area</b>	<b>1540.72 S.F.</b>



ROOF PLAN



THIRD FLOOR



NOTES: NUMBER REFERENCE TO SHEETS INDICATED FOR THE LOCATION OF THE UNIT NUMBER.  
 1. ALL DIMENSIONS UNLESS OTHERWISE NOTED ARE IN FEET AND INCHES.  
 2. ALL DIMENSIONS UNLESS OTHERWISE NOTED ARE IN FEET AND INCHES.  
 3. ALL DIMENSIONS UNLESS OTHERWISE NOTED ARE IN FEET AND INCHES.



UNIT 2 & 3  
 THIRD FLOOR / ROOF PLAN  
 ELEVATION STYLE - 'A'

PROVENCE - COURTS  
 RC NATOMAS, LLC



1.001

AREA ANALYSIS	
UNIT 2	
FLOOR FLOOR AREA	104.11 S.F.
FLOOR ROOF AREA	217.18 S.F.
TOTAL FLOOR AREA	321.29 S.F.
TOTAL ROOF AREA	468.37 S.F.
TOTAL AREA	789.66 S.F.
UNIT 3	
FLOOR FLOOR AREA	104.11 S.F.
FLOOR ROOF AREA	217.18 S.F.
TOTAL FLOOR AREA	208.22 S.F.
TOTAL ROOF AREA	434.36 S.F.
TOTAL AREA	642.58 S.F.





**A**  
 SEE 'B' FOR STANDARD RIGHT  
 UNIT 2 & 3  
 EXTERIOR ELEVATIONS  
 ELEVATION STYLE - 'A'

1/11/11  
**PROVENCE - COURTS**  
 RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 1" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	PARGIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL H.A.S. / SHARDING
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

14 OF 62





**A**

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOUR 1/2 TILE ROOF
<input type="checkbox"/>	INTERNAL COLOUR PLASTER
<input type="checkbox"/>	PAINT
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	ORIGINAL-USE PLASTER PROJECTION
<input type="checkbox"/>	KAPFER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	HEAVY GLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND PAINT ELEMENTS TO BE PAINTED	



# B


UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: REFER TO PLAN TO LOCATE UNITS ON THE CORNER OF THE UNIT BEING SHOWN.  
1 - UNIT 2  
2 - UNIT 3  
3 - UNIT 4  
4 - UNIT 5  
5 - UNIT 6  
6 - UNIT 7  
7 - UNIT 8  
8 - UNIT 9  
9 - UNIT 10  
10 - UNIT 11  
11 - UNIT 12  
12 - UNIT 13  
13 - UNIT 14  
14 - UNIT 15  
15 - UNIT 16  
16 - UNIT 17  
17 - UNIT 18  
18 - UNIT 19  
19 - UNIT 20  
20 - UNIT 21  
21 - UNIT 22  
22 - UNIT 23  
23 - UNIT 24  
24 - UNIT 25  
25 - UNIT 26  
26 - UNIT 27  
27 - UNIT 28  
28 - UNIT 29  
29 - UNIT 30  
30 - UNIT 31  
31 - UNIT 32  
32 - UNIT 33  
33 - UNIT 34  
34 - UNIT 35  
35 - UNIT 36  
36 - UNIT 37  
37 - UNIT 38  
38 - UNIT 39  
39 - UNIT 40  
40 - UNIT 41  
41 - UNIT 42  
42 - UNIT 43  
43 - UNIT 44  
44 - UNIT 45  
45 - UNIT 46  
46 - UNIT 47  
47 - UNIT 48  
48 - UNIT 49  
49 - UNIT 50  
50 - UNIT 51  
51 - UNIT 52  
52 - UNIT 53  
53 - UNIT 54  
54 - UNIT 55  
55 - UNIT 56  
56 - UNIT 57  
57 - UNIT 58  
58 - UNIT 59  
59 - UNIT 60  
60 - UNIT 61  
61 - UNIT 62  
62 - UNIT 63  
63 - UNIT 64  
64 - UNIT 65  
65 - UNIT 66  
66 - UNIT 67  
67 - UNIT 68  
68 - UNIT 69  
69 - UNIT 70  
70 - UNIT 71  
71 - UNIT 72  
72 - UNIT 73  
73 - UNIT 74  
74 - UNIT 75  
75 - UNIT 76  
76 - UNIT 77  
77 - UNIT 78  
78 - UNIT 79  
79 - UNIT 80  
80 - UNIT 81  
81 - UNIT 82  
82 - UNIT 83  
83 - UNIT 84  
84 - UNIT 85  
85 - UNIT 86  
86 - UNIT 87  
87 - UNIT 88  
88 - UNIT 89  
89 - UNIT 90  
90 - UNIT 91  
91 - UNIT 92  
92 - UNIT 93  
93 - UNIT 94  
94 - UNIT 95  
95 - UNIT 96  
96 - UNIT 97  
97 - UNIT 98  
98 - UNIT 99  
99 - UNIT 100


TYPICAL BUILDING MATERIALS	
[ ]	INTERNAL COLOR 1/2" TILE ROOF
[ ]	INTERNAL COLOR PLASTER
[ ]	FAÇON
[ ]	RAKE BOARD
[ ]	PLASTER CORNICE
[ ]	PLASTER WINDOW TRIM
[ ]	WIND WINDOW
[ ]	PLASTER TRIM
[ ]	DECORATIVE SHUTTER
[ ]	DECORATIVE PLASTER PROJECTION
[ ]	KAFFER TAIL
[ ]	STONE PATTERN VENEER
[ ]	METAL RAIL / GUARDRAIL
[ ]	FIBERGLASS ENTRY DOOR
[ ]	SLIDING GLASS DOOR
[ ]	FRENCH DOOR
[ ]	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
[ ]	SLEEPING PLASTER SILL
[ ]	HEAVY TEXTURE STUCCO
[ ]	EXPANSION JOINT
[ ]	PLASTER BATTERED PAUL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



# A, B

SEE 'A' ELEVATIONS FOR LEFT SIDE

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE 'A' & 'B'



NOTE: THESE ELEVATIONS ARE TO BE USED FOR THE HOME AND NOT FOR THE HOME WITH THE GARAGE. THE GARAGE WILL BE A SEPARATE UNIT. SEE GARAGE ELEVATIONS FOR GARAGE ELEVATIONS.

1. THIS ELEVATION REPRESENTS THE EXTERIOR WALLS ONLY.

2. THIS ELEVATION REPRESENTS THE EXTERIOR WALLS ONLY.


3. THESE ELEVATIONS REPRESENT THE EXTERIOR WALLS ONLY.

## PROVENCE - COURTS RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIOR COLOR W/ TILE ROOF
<input type="checkbox"/>	INTERIOR COLOR PLASTER
<input type="checkbox"/>	PARIS
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BRITTON
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENDOR
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPPER PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND PAVED ELEMENTS TO BE PAINTED	

17 OF 62



SEE 'A' ELEVATIONS FOR STANDARD SIDES

# C

SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

## PROVENCE - COURTS RC NATOMAS, LLC





13.11



UNITS 1 THROUGH 4 ARE IDENTICAL UNITS. THE FOUR UNITS ARE THE SAME UNITS. UNITS 5 AND 6 ARE IDENTICAL UNITS. THE TWO UNITS ARE IDENTICAL UNITS.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR 'W' TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BRITNER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / BURNING
<input type="checkbox"/>	FRIGIDAIR ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER RAIL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PALL

\*ALL METAL AND WOOD ELEMENTS TO BE PAINTED



A, B

SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A' & 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



LS11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 3" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER CORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAUFER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED HALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

19 OF 62



ENHANCED RIGHT SIDE ELEVATION III

ENHANCED LEFT SIDE ELEVATION III

# B


SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



1.E.1



KEYPLAN

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR 3" TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	EAVE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPFER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED FINISH
* ALL METAL AND FIBER DOOR ELEMENTS TO BE PAINTED	



ENHANCED RIGHT SIDE ELEVATION III

# C


SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 2 & 3  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC



LS11




KEYPLAN

1. THIS ELEVATION REPRESENTS ALL UNITS OF THIS TYPE.  
2. THIS ELEVATION REPRESENTS THE EXTERIOR OF THIS TYPE.  
3. THIS ELEVATION REPRESENTS THE EXTERIOR OF THIS TYPE.


TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL GOLOR W TILE ROOF
<input type="checkbox"/>	INTERNAL GOLOR PLASTER
<input type="checkbox"/>	FARGIA
<input type="checkbox"/>	RARE BOARD
<input type="checkbox"/>	PLASTER GIMBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / BOARDING
<input type="checkbox"/>	FRIBGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED HALL

\* ALL METAL AND FOOD ELEMENTS TO BE PAINTED



SECOND FLOOR

FIRST FLOOR



NOTE: WHERE APPLICABLE, DIMENSIONS ON THE SAME SHEET OF THE SAME BUILDING SHALL TAKE PRECEDENCE OVER DIMENSIONS ON DIFFERENT SHEETS.  
 1 - THIS FLOOR PLAN IS TO BE USED FOR PERMITS ONLY.  
 2 - THIS FLOOR PLAN IS NOT TO BE USED FOR CONSTRUCTION.  
 3 - THESE DIMENSIONS ARE THE APPROXIMATE DIMENSIONS.

UNIT 5 & 7  
 FIRST / SECOND FLOOR PLANS  
 ELEVATION STYLE - 'A'

10/11/10


PROVENCE - COURTS  
 RC NATOMAS, LLC

10/11/10



10/11/10


AREA ANALYSIS	
UNIT 5	
FIRST FLOOR AREA	1062 SF
SECOND FLOOR	481 SF
TOTAL FLOOR AREA	1543 SF
TOTAL GARAGE AREA	1062 SF
TOTAL DECK AREA	481 SF
TOTAL AREA	2605 SF
UNIT 7	
FIRST FLOOR AREA	1062 SF
SECOND FLOOR	481 SF
TOTAL FLOOR AREA	1543 SF
TOTAL GARAGE AREA	1062 SF
TOTAL DECK AREA	481 SF
TOTAL AREA	2605 SF



ROOF PLAN



THIRD FLOOR



NOTES: 1. THIS PLAN IS TO BE USED IN CONJUNCTION WITH THE CONSTRUCTION DOCUMENTS.  
 2. THIS PLAN IS TO BE USED IN CONJUNCTION WITH THE CONSTRUCTION DOCUMENTS.  
 3. THIS PLAN IS TO BE USED IN CONJUNCTION WITH THE CONSTRUCTION DOCUMENTS.  
 4. THIS PLAN IS TO BE USED IN CONJUNCTION WITH THE CONSTRUCTION DOCUMENTS.

UNIT 5 & 7  
 THIRD FLOOR / ROOF PLAN  
 ELEVATION STYLE - 'A'


1/8" = 1'-0"

**PROVENCE - COURTS**  
 RC NATOMAS, LLC



EX-11

AREA ANALYSIS	
UNIT 5	
FIRST FLOOR ENTRY	108.00 S.F.
SECOND FLOOR	481.00 S.F.
THIRD FLOOR	326.00 S.F.
TOTAL COVERED AREA	1015.00 S.F.
PERMITS	1015.00 S.F.
PERMITS	1015.00 S.F.
UNIT 7	
FIRST FLOOR ENTRY	108.00 S.F.
SECOND FLOOR	481.00 S.F.
THIRD FLOOR	326.00 S.F.
TOTAL COVERED AREA	1015.00 S.F.
PERMITS	1015.00 S.F.
PERMITS	1015.00 S.F.



# A

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC





1311



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR 1/2" TYP ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FANCI
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	W/FL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAPPER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / SHORING
<input type="checkbox"/>	"BIRGLAND BUFFY DOOR
<input type="checkbox"/>	BLEND ALABO DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

24 OF 62




# A

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC



1.5.11



NOTES: 1. THESE ELEVATIONS ARE FOR INFORMATION ONLY. THE FINAL DESIGN AND CONSTRUCTION SHALL BE AS SHOWN IN THE CONTRACT DOCUMENTS. 2. THIS ELEVATION IS FOR INFORMATION ONLY. THE FINAL DESIGN AND CONSTRUCTION SHALL BE AS SHOWN IN THE CONTRACT DOCUMENTS.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIOR COLOR 9" TILE ROOF
<input type="checkbox"/>	INTERIOR COLOR PLASTER
<input type="checkbox"/>	PANCA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	BATTERED PILL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL PANEL / BURNISHED
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	




# A

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC



1.5.11




NOTE: REFER TO SECTION 3.00 FOR THE LOCATION OF THE UNIT BEING SHOWN IN THIS KEY PLAN. REFER TO SECTION 3.00 FOR THE LOCATION OF THE UNIT BEING SHOWN IN THIS KEY PLAN.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR W/ TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	PARGIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER GORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAPPER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / DIVIDER
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL

\*ALL METAL AND WOOD ELEMENTS TO BE PAINTED

26 OF 62



**B**

SEE 'A' ELEVATIONS FOR SIDES



UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
[Symbol]	INTERNAL COLOR 'Y' TILE ROOF
[Symbol]	INTERNAL COLOR PLASTER
[Symbol]	FAHSA
[Symbol]	RANK BOARD
[Symbol]	PLASTER CORBEL
[Symbol]	PLASTER WINDOW TRIM
[Symbol]	VINYL WINDOW
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE SHUTTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAPPER TAIL
[Symbol]	STONE PATTERN VENEER
[Symbol]	METAL RAIL / GUARDRAIL
[Symbol]	TERRAZZO SLAB ENTRY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL RESIDENTIAL GARAGE DOOR WITH WINDOWS
[Symbol]	BUILDING PLASTER SILL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

27 OF 62




**C**  
 SEE 'A' ELEVATIONS FOR SIDES  
 UNIT 5 & 7  
 EXTERIOR ELEVATIONS  
 ELEVATION STYLE - 'C'  
 3/10/11  
**PROVENCE - COURTS**  
 RC NATOMAS, LLC  
 30904-000



3.11


TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR 'B' TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FAÇON
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER LINING
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPITEK TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL PAN / BORDING
<input type="checkbox"/>	'BIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER HILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



# B,C

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B' & 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: THESE ELEVATIONS ARE FOR INFORMATION ONLY AND DO NOT REPRESENT THE FINAL DESIGN. THE ARCHITECT SHALL BE RESPONSIBLE FOR THE FINAL DESIGN AND SHALL BE RESPONSIBLE FOR THE FINAL DESIGN AND SHALL BE RESPONSIBLE FOR THE FINAL DESIGN.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL GLOSS 9" TILE ROOF
<input type="checkbox"/>	INTERNAL GLOSS PLASTER
<input type="checkbox"/>	FACIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPFER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL K/P/S / SHUTTERS
<input type="checkbox"/>	FIBERGLASS BUTYL DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIDING PLASTER ROLL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PAINT
* ALL METAL AND FIBERGLASS ELEMENTS TO BE PAINTED	

29 OF 62



RIGHT SIDE ELEVATION III



ENHANCED RIGHT SIDE ELEVATION II


# A

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




L51



1. UNIT 5  
2. UNIT 6  
3. UNIT 7

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL GROUND TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER GUMBLE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL MAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	BUILDING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	


30 OF 62



# A,B

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A' & 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: THESE ARE EXTERIOR ELEVATIONS FOR THE HOME USE OF THE HOME IN BLOCK. ALL OTHER ELEVATIONS ARE FOR CONSTRUCTION OF CONCRETE & BLOCK.

1. THIS IS A GENERAL ELEVATION FOR THE HOME USE ONLY.

2. THIS IS A GENERAL ELEVATION FOR THE HOME USE ONLY.

3. THESE ARE EXTERIOR ELEVATIONS FOR THE HOME USE ONLY.

1/11/11



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOUR 'V' TILE ROOF
<input type="checkbox"/>	INTERNAL COLOUR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	WINDY WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / SHARDING
<input type="checkbox"/>	FRIGID GLASS ENTRY DOOR
<input type="checkbox"/>	SLEEPING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED RAIL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



# B,C


SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B' & 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC




1:1



NOTE: THESE ELEVATIONS ARE INTENDED TO BE USED AS A GUIDE ONLY. THE FINAL DESIGN SHALL BE DETERMINED BY THE ARCHITECT AND SHALL BE SUBJECT TO THE ARCHITECT'S FINAL DESIGN AND SHALL BE SUBJECT TO THE ARCHITECT'S FINAL DESIGN AND SHALL BE SUBJECT TO THE ARCHITECT'S FINAL DESIGN.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL, COLOR 'N' TILE ROOF
<input type="checkbox"/>	INTERNAL, COLOR PLASTER
<input type="checkbox"/>	FASIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPTEK TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / BOARDING
<input type="checkbox"/>	FIBERGLASS DOFTY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL REGIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	BULGING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

32 OF 62



# C

SEE 'A' ELEVATIONS FOR STANDARD SIDES


UNIT 5 & 7  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

## PROVENCE - COURTS RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOUR V-TILE ROOF
<input type="checkbox"/>	INTERNAL COLOUR PLASTER
<input type="checkbox"/>	PANEA
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER GUMMEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL MESH / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS SAFETY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL MEDICAL GARAGE DOOR WITH WINDOW
<input type="checkbox"/>	SLURRY PLASTER M.S.
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

33 OF 62




SECOND FLOOR

FIRST FLOOR

UNIT 6 & 9  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




NOTES: THESE PLANS ARE TO BE USED IN CONJUNCTION WITH THE UNIT AND UNIT PLAN WILL BE PROVIDED BY THE ARCHITECT. THESE PLANS ARE SUBJECT TO CHANGE.  
 1. ALL DIMENSIONS ARE IN FEET AND INCHES.  
 2. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.  
 3. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.




1.1.1

AREA ANALYSIS	
<b>UNIT 6</b>	
FIRST FLOOR	807 SF ±
SECOND FLOOR	292 SF ±
TOTAL UNIT AREA	1099 SF ±
Garage	2040 SF ±
Unit Area	1293 SF ±
<b>UNIT 9</b>	
FIRST FLOOR	793 SF ±
SECOND FLOOR	447 SF ±
Garage	754 SF ±
TOTAL UNIT AREA	1494 SF ±
Garage	214 SF ±
Unit Area	1279 SF ±
Garage	177 SF ±
Unit Area	1102 SF ±



ROOF PLAN

THIRD FLOOR




NOTES: 1. REFER TO UNIT 6 & 9 ARCHITECTURAL PLAN FOR UNIT 6 & 9. 2. REFER TO UNIT 6 & 9 ARCHITECTURAL PLAN FOR UNIT 6 & 9. 3. REFER TO UNIT 6 & 9 ARCHITECTURAL PLAN FOR UNIT 6 & 9. 4. REFER TO UNIT 6 & 9 ARCHITECTURAL PLAN FOR UNIT 6 & 9.

UNIT 6 & 9  
 THIRD FLOOR / ROOF PLAN  
 ELEVATION STYLE - 'A'

PROVENCE - COURTS  
 RC NATOMAS, LLC




AREA ANALYSIS	
<b>UNIT 6</b>	
TRETT FLOOR	847.42 S.F.
TRETT FLOOR	492.51 S.F.
TOTAL LIVING AREA	1339.93 S.F.
CLADDING	728.22 S.F.
TOTAL AREA	2068.15 S.F.
<b>UNIT 9</b>	
TRETT FLOOR	70.55 S.F.
TRETT FLOOR	343.59 S.F.
TRETT FLOOR	734.42 S.F.
TOTAL LIVING AREA	1448.56 S.F.
CLADDING	517.88 S.F.
TOTAL AREA	1966.44 S.F.



A

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




NOTE: REFER TO SECTION A AND B FOR THE LOCATION OF THE UNIT AND THE UNIT NUMBER.  
1. THIS ELEVATION IS FOR THE UNIT NUMBER 6 AND 9.  
2. THIS ELEVATION IS FOR THE UNIT NUMBER 6 AND 9.  
3. REFER TO SECTION A AND B FOR THE LOCATION OF THE UNIT AND THE UNIT NUMBER.



15.11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR W/ TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER HIDDEN TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FRIGGLASS BUTY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	


36 OF 62



A


UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: THESE ELEVATIONS REPRESENT THE EXTERIOR OF THE BUILDING. THE INTERIOR OF THE BUILDING IS NOT SHOWN. THE INTERIOR OF THE BUILDING IS NOT SHOWN. THE INTERIOR OF THE BUILDING IS NOT SHOWN.


TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	NATURAL COLOR W/ TILE ROOF
<input type="checkbox"/>	NATURAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / BURNING
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIP-GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	




# B

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTRINSIC COLOR 1/2" TILE ROOF
<input type="checkbox"/>	INTRINSIC COLOR PLASTER
<input type="checkbox"/>	PANEA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	WIND FINISH
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	BAFFLE FILL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS BUTY BOOD
<input type="checkbox"/>	SLIPING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL REGIONAL SAKABE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED FILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	




C

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - C

PROVENCE - COURTS  
RC NATOMAS, LLC



1:50





KEYPLAN

TYPICAL BUILDING MATERIALS	
[Symbol]	INTERNAL COLOUR TILE ROOF
[Symbol]	INTERNAL COLOUR PLASTER
[Symbol]	PAVING
[Symbol]	RANK BOARD
[Symbol]	PLASTER CORNICE
[Symbol]	PLASTER FINISH TRIM
[Symbol]	VINYL WINDOW
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE SHUTTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAPPER TAIL
[Symbol]	STONE PATTERN VENEER
[Symbol]	METAL RAIL / SUNSCREEN
[Symbol]	FIBREGLASS BUTTY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH PANDOS
[Symbol]	SLEEPING PLASTER BALL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED WALL

\* ALL METAL AND FINISH ELEMENTS TO BE PAINTED

39 OF 62




# B,C

SEE 'A' ELEVATIONS FOR REARS

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B' & 'C'


PROVENCE - COURTS  
RC NATOMAS, LLC



1. THIS ELEVATION IS TO BE USED TO IDENTIFY THE LOCATION OF THE UNIT IN THE BUILDING.  
2. THIS ELEVATION IS TO BE USED TO IDENTIFY THE LOCATION OF THE UNIT IN THE BUILDING.  
3. THIS ELEVATION IS TO BE USED TO IDENTIFY THE LOCATION OF THE UNIT IN THE BUILDING.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR W/ TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER GIMBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL W/PAL / BUSHING
<input type="checkbox"/>	REINFORCED CONCRETE DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIDING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

40 OF 62



# A

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOUR 9" TILE ROOF
<input type="checkbox"/>	INTERNAL COLOUR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	UNIT WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	REGULAR-WEAVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL SILL / SANDRIM
<input type="checkbox"/>	FIBREGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLEEPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	




# B

SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



NOTES: REFER TO SECTION 05100 FOR THE ROOF AND TO SECTION 05200 FOR THE WALLS AND CEILING. REFER TO SECTION 05300 FOR THE FLOORING AND TO SECTION 05400 FOR THE INTERIORS. REFER TO SECTION 06100 FOR THE MECHANICAL AND TO SECTION 06200 FOR THE ELECTRICAL. REFER TO SECTION 08100 FOR THE FINISHES.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIOR COLOR 'F' TILE ROOF
<input type="checkbox"/>	INTERIOR COLOR PLASTER
<input type="checkbox"/>	FASSIA
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL MAIL / SHARDING
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPING PLASTER RILL
<input type="checkbox"/>	HEAVY TEXTURE STAGGER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
*ALL METAL AND HARD SURFACES TO BE PAINTED	



FRONT ELEVATION II

ENHANCED RIGHT SIDE ELEVATION II

C


SEE 'A' ELEVATIONS FOR STANDARD SIDES

UNIT 6 & 9  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC




LS11



1. THIS PLAN IS INTENDED TO BE USED AS A REFERENCE ONLY.  
2. THIS PLAN IS NOT TO BE USED FOR CONSTRUCTION.  
3. THIS PLAN IS NOT TO BE USED FOR ANY OTHER PURPOSE.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIOR COLOR 'F' TILE ROOF
<input type="checkbox"/>	INTERIOR COLOR PLASTER
<input type="checkbox"/>	FASSA
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	BAFFLE TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / BOARDING
<input type="checkbox"/>	FRIBGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLIPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL


\* ALL METAL AND WOOD ELEMENTS TO BE PAINTED



SECOND FLOOR

FIRST FLOOR

KEYPLAN



NOTE: THESE PLANS ARE FOR INFORMATION ONLY. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF THE INFORMATION PROVIDED HEREON. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF THE INFORMATION PROVIDED HEREON.

UNIT 8  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'



PROVENCE - COURTS  
RC NATOMAS, LLC



1X11

AREA ANALYSIS	
UNIT 8	267.18 S.F.
FIRST FLOOR	267.18 S.F.
SECOND FLOOR	267.18 S.F.
TOTAL FLOOR AREA	534.36 S.F.
TOTAL LIVING AREA	106.87 S.F.
TOTAL GARAGE AREA	106.87 S.F.
TOTAL PORCH AREA	53.43 S.F.
TOTAL	703.61 S.F.
TOTAL AREA	1407.22 S.F.






A

UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'


PROVENCE - COURTS  
RC NATOMAS, LLC



NOTE: THESE ELEVATIONS AND MATERIALS LIST ARE TO BE USED ONLY ON THE UNIT AND SHALL NOT BE USED FOR ANY OTHER UNIT OR FOR THE ENTIRE BUILDING.  
1 - THIS IS A GENERAL ELEVATION AND ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.  
2 - ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.  
3 - FINISHES SHALL BE AS SHOWN ON ALL ELEVATIONS AND MATERIALS LIST.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIAL COLOR 9" TILE ROOF
<input type="checkbox"/>	INTERIAL COLOR PLASTER
<input type="checkbox"/>	FABRIC
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER HANDON TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPTER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOW
<input type="checkbox"/>	SLIPING PLASTER ALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PAIRL

46 OF 62




**A**

UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

1/4" = 1'-0"  
**PROVENCE - COURTS**  
RC NATOMAS, LLC




1.2.H




NOTE: THESE ELEVATIONS ARE INTENDED FOR THE EXTERIOR OF THE UNIT AND DO NOT INCLUDE INTERIOR FINISHES OR FIXTURES.  
1. THIS IS A GENERAL REPRESENTATION OF THE UNIT'S EXTERIOR.  
2. FINISHES AND MATERIALS ARE TO BE DETERMINED BY THE ARCHITECT.  
3. FINISHES AND MATERIALS ARE TO BE DETERMINED BY THE ARCHITECT.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLUMN TILE ROOF
<input type="checkbox"/>	INTERNAL COLUMN PLASTER
<input type="checkbox"/>	FABRIC
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER CORNER
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BRACKET
<input type="checkbox"/>	INSULATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPFER TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL SILL / BANDSILL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLOPED GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISHES
<input type="checkbox"/>	SLOPED PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



8C  
FRONT ELEVATION I



LEFT SIDE ELEVATION III

C

SEE 'A' ELEVATIONS FOR RIGHT SIDE & REAR


UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'  
(BB DOES NOT OCCUR)

PROVENCE - COURTS  
RC NATOMAS, LLC



1311

KEYPLAN




NOTES: 1. REFER TO UNIT 8'S CONSTRUCTION FOR THE LOCATION OF THE UNIT 8'S WALLS AND ROOF. 2. REFER TO UNIT 8'S CONSTRUCTION FOR THE LOCATION OF THE UNIT 8'S WALLS AND ROOF. 3. REFER TO UNIT 8'S CONSTRUCTION FOR THE LOCATION OF THE UNIT 8'S WALLS AND ROOF. 4. REFER TO UNIT 8'S CONSTRUCTION FOR THE LOCATION OF THE UNIT 8'S WALLS AND ROOF.

TYPICAL BUILDING MATERIALS	
[Symbol]	INTERNAL COLOR 'X' TILE ROOF
[Symbol]	INTERNAL COLOR PLASTER
[Symbol]	FASCIA
[Symbol]	RANK BOARD
[Symbol]	PLASTER CORNICE
[Symbol]	PLASTER FINISH TRIM
[Symbol]	VINYL FINISH
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAFTER TAIL
[Symbol]	STONE PATTERN VENEER
[Symbol]	METAL SEAL / GROUNDING
[Symbol]	FIBERGLASS ENTRY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH FINISH
[Symbol]	SLOPING PLASTER SILL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED PAINT
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



8A  
FRONT ELEVATION II



ENHANCED RIGHT SIDE ELEVATION I


# A

UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC




1.5.1




NOTE: THESE ELEVATIONS REPRESENTATION ON THE LAMB DATE OF THE LAST REVISION.  
 1. UNIT 8 ELEVATION SHOWN ON ALL PLANS AND ELEVATIONS.  
 2. UNIT 8 ELEVATION SHOWN ON ALL PLANS AND ELEVATIONS.  
 3. UNIT 8 ELEVATION SHOWN ON ALL PLANS AND ELEVATIONS.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	METAL COLOR 9" TILE ROOF
<input type="checkbox"/>	METAL COLOR PLASTER
<input type="checkbox"/>	FABRIK
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE DOUTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPTEL TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLOPING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER BALL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND WOOD SUBMITTS TO BE PAINTED	

49 OF 62



8C  
FRONT ELEVATION II



ENHANCED RIGHT SIDE ELEVATION I

# C

SEE 'A' ELEVATIONS FOR STANDARD RIGHT SIDE & REAR

UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'  
(8B DOES NOT OCCUR)

1/4" = 1'-0"


## PROVENCE - COURTS RC NATOMAS, LLC

3/10/11




1.11

### KEYPLAN




NOTE: THESE ELEVATIONS ARE FOR INFORMATION ONLY AND ARE NOT TO BE USED FOR CONSTRUCTION. THE ARCHITECT SHALL BE RESPONSIBLE FOR VERIFYING THE EXISTING CONDITIONS OF THE BUILDING. THE ARCHITECT SHALL BE RESPONSIBLE FOR VERIFYING THE EXISTING CONDITIONS OF THE BUILDING. THE ARCHITECT SHALL BE RESPONSIBLE FOR VERIFYING THE EXISTING CONDITIONS OF THE BUILDING.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIAL COLOR 1" TILE ROOF
<input type="checkbox"/>	INTERIAL COLOR PLASTER
<input type="checkbox"/>	FABRIK
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPPA TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPED PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



8C  
FRONT ELEVATION III



ENHANCED RIGHT SIDE ELEVATION II

# C

SEE 'A' ELEVATIONS FOR STANDARD RIGHT SIDE & REAR

UNIT 8  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'  
(8B DOES NOT OCCUR)

10'-0"

## PROVENCE - COURTS RC NATOMAS, LLC

2009020



1.11

### KEYPLAN



NOTE: THESE ELEVATIONS REPRESENTATIONS ARE FOR INFORMATION ONLY AND ARE NOT TO BE USED FOR CONSTRUCTION. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND MATERIALS WITH THE ARCHITECT AND/OR SUPPLIER.  
1. FOR ALL DIMENSIONS AND MATERIALS, SEE THE ARCHITECT'S SPECIFICATIONS.  
2. FOR ALL DIMENSIONS AND MATERIALS, SEE THE ARCHITECT'S SPECIFICATIONS.  
3. FOR ALL DIMENSIONS AND MATERIALS, SEE THE ARCHITECT'S SPECIFICATIONS.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIAL COLOR TILE ROOF
<input type="checkbox"/>	INTERIAL COLOR PLASTER
<input type="checkbox"/>	FABRIK
<input type="checkbox"/>	RAKE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAFTER TAL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL SILL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLOPING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOW
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND HARD SURFACES TO BE PAINTED	

51 OF 62




SECOND FLOOR

FIRST FLOOR

UNIT 10 & 11  
 FIRST / SECOND FLOOR PLANS  
 ELEVATION STYLE - 'A'

PROVENCE - COURTS  
 RC NATOMAS, LLC




NOTE: THESE FLOOR PLANS REPRESENTATION OF THE WORK DONE BY THE ARCHITECT AND ARE NOT TO BE USED FOR CONSTRUCTION OF ANY OTHER PROJECTS.  
 1 - DIMENSIONS SHOWN ON ALL FLOOR PLANS.  
 2 - ALL DIMENSIONS ARE IN FEET AND INCHES.  
 3 - DIMENSIONS ARE SHOWN FOR ALL ELEMENTS OF THE PLAN.




1.8.11

AREA ANALYSIS	
UNIT 10	471.87 S.F.
FIRST FLOOR	315.50 S.F.
SECOND FLOOR	156.37 S.F.
TOTAL LIVING AREA	471.87 S.F.
GARAGE	218.87 S.F.
POUCH	88.23 S.F.
TOT. AREA	779.07 S.F.
UNIT 11	114.31 S.F.
FIRST FLOOR	114.31 S.F.
TOTAL LIVING AREA	114.31 S.F.
GARAGE	0.00 S.F.
POUCH	0.00 S.F.
TOT. AREA	114.31 S.F.



ROOF PLAN

THIRD FLOOR





NOTES:  
 1. REFER TO PLUMBING AND ELECTRICAL SCHEDULES ON THE SAME SHEET OF THE SAME BUILDING.  
 2. REFER TO THE CONTRACT AND THE CONTRACTORS' WORKMANSHIP.  
 3. REFER TO THE CONTRACT AND THE CONTRACTORS' WORKMANSHIP.  
 4. REFER TO THE CONTRACT AND THE CONTRACTORS' WORKMANSHIP.

UNIT 10 & 11  
 THIRD FLOOR / ROOF PLAN  
 ELEVATION STYLE - 'A'

PROVENCE - COURTS  
 RC NATOMAS, LLC



AREA ANALYSIS	
UNIT 10	417.32 S.F.
UNIT 11	400.38 S.F.
TOTAL UNIT AREA	817.70 S.F.
COMMON	21.17 S.F.
AVOID	88.37 S.F.
TOTAL AREA	927.24 S.F.
UNIT 11	417.32 S.F.
UNIT 10	400.38 S.F.
TOTAL UNIT AREA	817.70 S.F.
COMMON	21.17 S.F.
AVOID	88.37 S.F.
TOTAL AREA	927.24 S.F.





# A

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERIOR COLOR 'T' TILE ROOF
<input type="checkbox"/>	INTERIOR COLOR PLASTER
<input type="checkbox"/>	FABRIC
<input type="checkbox"/>	RAISE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL FINISH
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	KAPTON TAIL
<input type="checkbox"/>	STONE PATTERN VESSEL
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH FINISHING
<input type="checkbox"/>	SLOPES PLASTER BELL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



REAR ELEVATION III

LEFT SIDE ELEVATION


**A**

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC





1.11



1. FINISH SCHEDULES SHALL BE DETERMINED BY THE ARCHITECT.  
2. FINISH SCHEDULES SHALL BE DETERMINED BY THE ARCHITECT.  
3. FINISH SCHEDULES SHALL BE DETERMINED BY THE ARCHITECT.

TYPICAL BUILDING MATERIALS	
[Symbol]	INTERIAR COLOR 9" TILE ROOF
[Symbol]	INTERIAR COLOR PLASTER
[Symbol]	FASDA
[Symbol]	RAISE BOARD
[Symbol]	PLASTER CORNICE
[Symbol]	PLASTER WINDOW TRIM
[Symbol]	VINYL WINDOW
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE BUTTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAFTER TAIL
[Symbol]	SPINE PATTERN UNDER
[Symbol]	METAL RAIL / BOARDING
[Symbol]	FIBERGLASS ENTRY DOOR
[Symbol]	BUILDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
[Symbol]	SLOPING PLASTER SILL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED PILL
* ALL METAL AND HARD ELEMENTS TO BE PAINTED	



# B


UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
[Symbol]	NATURAL COLOR 'T' TILE ROOF
[Symbol]	NATURAL COLOR PLASTER
[Symbol]	FASIA
[Symbol]	RAVE BOARD
[Symbol]	PLASTER CORNICE
[Symbol]	PLASTER WINDOW TRIM
[Symbol]	VINYL WINDOW
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE BUTTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAFTER TAIL
[Symbol]	STONE PATTERN VENER
[Symbol]	METAL RAIL / HANDRAIL
[Symbol]	FIBERGLASS ENTRY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
[Symbol]	SLOPING PLASTER SILL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED PILL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

56 OF 62



10B 11B  
LEFT SIDE ELEVATION

# B

SEE 'A' ELEVATION FOR REAR

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'


1/4" = 1'-0"

## PROVENCE - COURTS RC NATOMAS, LLC




1.0B

### KEYPLAN



UNITS 10 AND 11 ARE SEPARATELY ZONED AND MUST BE USED IN ACCORDANCE WITH THE LOCAL ZONING ORDINANCES.  
1. THIS KEY PLAN IS FOR INFORMATION ONLY.  
2. THIS KEY PLAN IS NOT TO BE USED FOR CONSTRUCTION.  
3. THIS KEY PLAN IS NOT TO BE USED FOR ANY OTHER PURPOSE.


TYPICAL BUILDING MATERIALS	
[Symbol]	INTERIOR COLOR 1" TILE ROOF
[Symbol]	INTERIOR COLOR PLASTER
[Symbol]	FABRIQ
[Symbol]	RAKE BOARD
[Symbol]	PLASTER CORNICE
[Symbol]	PLASTER WINDOW TRIM
[Symbol]	VINYL WINDOW
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE BATTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAFTER TAIL
[Symbol]	STONE PATTERN VENEER
[Symbol]	METAL SILL / ANCHORAL
[Symbol]	FIBERGLASS ENTRY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRENCH DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
[Symbol]	SLIPRIP PLASTER SILL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



C


UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
[Symbol]	INTEGRAL COLOR 9" TILE ROOF
[Symbol]	INTEGRAL COLOR PLASTER
[Symbol]	PANES
[Symbol]	RANK BOARD
[Symbol]	PLASTER CORBEL
[Symbol]	PLASTER FINISH TRIM
[Symbol]	WHL, FINISH
[Symbol]	PLASTER TRIM
[Symbol]	DECORATIVE BUTTER
[Symbol]	DECORATIVE PLASTER PROJECTION
[Symbol]	RAFTER TAIL
[Symbol]	SHINE PATTERNS VENER
[Symbol]	METAL RAIL / GUARDRAIL
[Symbol]	FIBERGLASS ENTRY DOOR
[Symbol]	SLIDING GLASS DOOR
[Symbol]	FRANCE DOOR
[Symbol]	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
[Symbol]	SLOPING PLASTER BALL
[Symbol]	HEAVY TEXTURE STUCCO
[Symbol]	EXPANSION JOINT
[Symbol]	PLASTER BATTERED PAIL

58 OF 62



# C

SEE 'A' ELEVATION FOR REAR

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'


## PROVENCE - COURTS RC NATOMAS, LLC





13.01

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	NATURAL COLOR 1" TILE ROOF
<input type="checkbox"/>	NATURAL COLOR PLASTER
<input type="checkbox"/>	FASADA
<input type="checkbox"/>	RANK BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE RAFTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	STONE PATTERN VENEER
<input type="checkbox"/>	METAL SILL / OVERHEAD
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRENCH DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED WALL
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

59 OF 62



NOTE: THESE ELEVATIONS ARE INTENDED TO BE USED AS A GUIDE ONLY. THE ARCHITECTURE AND MATERIALS ARE SUBJECT TO CHANGE.  
1 - THIS ELEVATION IS NOT TO BE USED FOR CONSTRUCTION.  
2 - THIS ELEVATION IS NOT TO BE USED FOR CONSTRUCTION.  
3 - THIS ELEVATION IS NOT TO BE USED FOR CONSTRUCTION.



# A

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'A'

PROVENCE - COURTS  
RC NATOMAS, LLC





1311



KEYPLAN  
1 - THIS IS THE UNIT NUMBER FOR ALL PLUMBING AND ELECTRICAL WORK.  
2 - THIS IS THE UNIT NUMBER FOR ALL MECHANICAL AND HVAC WORK.  
3 - THIS IS THE UNIT NUMBER FOR ALL FINISH WORK.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR V-TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	FASCIA
<input type="checkbox"/>	RAVE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	RAFTER TAIL
<input type="checkbox"/>	BRINE PATTERNS VENER
<input type="checkbox"/>	METAL NAIL / GUARDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRONTS DOOR
<input type="checkbox"/>	METAL RECTANGULAR GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER SILL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PILL
* ALL METAL AND FINISH ELEMENTS TO BE PAINTED	


60 OF 62



# B

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'B'

PROVENCE - COURTS  
RC NATOMAS, LLC





KEYPLAN

1. THIS IS A GENERAL REPRESENTATION OF THE UNIT AND IS NOT TO BE USED FOR CONSTRUCTION. THE CONTRACTOR SHALL VERIFY THE UNIT'S LOCATION AND DIMENSIONS ON THE JOB SITE.

2. THIS IS A GENERAL REPRESENTATION OF THE UNIT AND IS NOT TO BE USED FOR CONSTRUCTION. THE CONTRACTOR SHALL VERIFY THE UNIT'S LOCATION AND DIMENSIONS ON THE JOB SITE.

3. THIS IS A GENERAL REPRESENTATION OF THE UNIT AND IS NOT TO BE USED FOR CONSTRUCTION. THE CONTRACTOR SHALL VERIFY THE UNIT'S LOCATION AND DIMENSIONS ON THE JOB SITE.

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR V-TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	PAVING
<input type="checkbox"/>	RIDGE BOARD
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	VINYL FINISH
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	DECORATIVE BUTTER
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	BATTERED TAIL
<input type="checkbox"/>	STONE PATTERN VENER
<input type="checkbox"/>	METAL RAIL / HANDRAIL
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	FRINGE DOOR
<input type="checkbox"/>	METAL RECTANGULAR GARAGE DOOR WITH WINDOWS
<input type="checkbox"/>	SLOPING PLASTER BELL
<input type="checkbox"/>	HEAVY TEXTURE STUCCO
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	PLASTER BATTERED PAIL
*ALL METAL AND FLOOR ELEMENTS TO BE PAINTED	




C

UNIT 10 & 11  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - 'C'

PROVENCE - COURTS  
RC NATOMAS, LLC



1.1.1




1. - THE 6 BUCKER BRANDS OF ALL PLASTER OF WALLS  
2. - THE 6 BUCKER BRANDS OF ALL PLASTER OF CEILING  
3. - THE 6 BUCKER BRANDS OF ALL PLASTER OF FLOORS  
4. - THE 6 BUCKER BRANDS OF ALL PLASTER OF ROOF

TYPICAL BUILDING MATERIALS	
	INTEGRAL COLOR TILE ROOF
	INTEGRAL COLOR PLASTER
	FASIA
	RIGID BOARD
	PLASTER CORNICE
	PLASTER WINDOW TRIM
	VINYL WINDOW
	PLASTER TRIM
	DECORATIVE SAUTER
	DECORATIVE PLASTER PROJECTION
	RAFTER TAIL
	STONE PATTERN VENDER
	METAL RAIL / GUARDRAIL
	FIBERGLASS ENTRY DOOR
	SLIDING GLASS DOOR
	FRENCH DOOR
	METAL SECTIONAL GARAGE DOOR WITH WINDOWS
	SLOPING PLASTER SILL
	HEAVY TEXTURE STUCCO
	EXPANSION JOINT
	PLASTER BATTENED WALL
* ALL METAL AND HARD ELEMENTS TO BE PAINTED	

62 OF 62

Exhibit 41 – Urban Villas – House Plans and Elevations



SECOND FLOOR


FIRST FLOOR

UNIT 1 & 2  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



AREA ANALYSIS	
UNIT 1	
FIRST FLOOR	964.85 S.F.
SECOND FLOOR	613.45 S.F.
THIRD FLOOR	608.98 S.F.
TOTAL LIVING AREA	1,187.28 S.F.
LANDSCAPE	179.57 S.F.
DECK	178.57 S.F.
LAND AREA	2,145.22 S.F.
UNIT 2	
FIRST FLOOR	946.38 S.F.
SECOND FLOOR	609.42 S.F.
THIRD FLOOR	712.21 S.F.
TOTAL LIVING AREA	1,268.01 S.F.
LANDSCAPE	180.71 S.F.
DECK	178.57 S.F.
LAND AREA	2,627.29 S.F.
UNIT 3	
FIRST FLOOR	481.41 S.F.
SECOND FLOOR	588.92 S.F.
THIRD FLOOR	507.75 S.F.
TOTAL LIVING AREA	1,578.08 S.F.
LANDSCAPE	174.41 S.F.
DECK	159.27 S.F.
LAND AREA	2,911.76 S.F.



FIRST FLOOR



FRONT ELEVATION


UNIT 1 & 2  
FLEX SPACE ALTERNATE  
ELEVATION STYLE - 'A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



BL011

AREA ANALYSIS	
<b>UNIT 1</b>	
1ST FLOOR	364.83 S.F.
2ND FLOOR	311.48 S.F.
THIRD FLOOR	344.88 S.F.
TOTAL COVERED AREA	1021.19 S.F.
SCREENING	219.87 S.F.
LAND	136.37 S.F.
TOTAL AREA	2457.27 S.F.
<b>UNIT 2</b>	
1ST FLOOR	342.38 S.F.
2ND FLOOR	346.21 S.F.
THIRD FLOOR	322.27 S.F.
TOTAL COVERED AREA	1010.86 S.F.
SCREENING	385.87 S.F.
LAND	178.88 S.F.
TOTAL AREA	2575.59 S.F.
<b>UNIT 3</b>	
1ST FLOOR	481.47 S.F.
2ND FLOOR	444.87 S.F.
THIRD FLOOR	311.70 S.F.
TOTAL COVERED AREA	1238.04 S.F.
SCREENING	436.82 S.F.
LAND	146.77 S.F.
TOTAL AREA	2821.63 S.F.



ROOF PLAN



THIRD FLOOR

UNIT 1 & 2  
THIRD FLOOR / ROOF PLAN  
ELEVATION STYLE - 'A'


PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



SCALE

AREA ANALYSIS	
<b>UNIT 1</b>	
FIRST FLOOR	364.88 S.F.
SECOND FLOOR	615.45 S.F.
THIRD FLOOR	668.88 S.F.
TOTAL LIVING AREA	1649.21 S.F.
LOBBY	378.91 S.F.
DECK	198.30 S.F.
TOTAL AREA	2226.37 S.F.
<b>UNIT 2</b>	
FIRST FLOOR	348.38 S.F.
SECOND FLOOR	626.42 S.F.
THIRD FLOOR	723.22 S.F.
TOTAL LIVING AREA	1698.02 S.F.
LOBBY	365.81 S.F.
DECK	178.88 S.F.
TOTAL AREA	2242.73 S.F.
<b>UNIT 3</b>	
FIRST FLOOR	481.41 S.F.
SECOND FLOOR	695.32 S.F.
THIRD FLOOR	351.70 S.F.
TOTAL LIVING AREA	1528.43 S.F.
LOBBY	424.02 S.F.
DECK	194.21 S.F.
TOTAL AREA	2146.66 S.F.

3 OF 14



# A

EXTERIOR ELEVATIONS  
ELEVATION STYLE - '1A & 2A'


PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



BLR11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERGRAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTERGRAL COLOR PLASTER
<input type="checkbox"/>	3X FASCIA
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED PAIL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL FINISH
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	RUBBER GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
*ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

4 OF 14



# A


EXTERIOR ELEVATIONS  
ELEVATION STYLE - '1A & 2A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR PLAT TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	3/4 FASGA
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER SATTENED PANEL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL SHARAB DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

5 OF 14



1A LEFT SIDE ELEVATION



2A RIGHT SIDE ELEVATION

# A

EXTERIOR ELEVATIONS  
ELEVATION STYLE - '1A & 2A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC




03.11.11

**TYPICAL BUILDING MATERIALS**

- INTERIOR COLOR FLAT TILE ROOF
  - INTERIOR COLOR PLASTER
  - 2X FASGA
  - PLASTER CORNELL
  - PLASTER WINDOW TRIM
  - DECORATIVE PLASTER PROJECTION
  - PLASTER TRIM
  - PLASTER BATTERED WALL
  - DECORATIVE SHUTTER
  - EXPANSION JOINT
  - METAL RAIL / GUARDRAIL
  - VINYL WINDOW
  - FIBERGLASS ENTRY DOOR
  - SLIDING GLASS DOOR
  - METAL SECTIONAL GARAGE DOOR
- \* ALL METAL AND WINDOW ELEMENTS TO BE PAINTED

6 OF 14



2A  
2A ENHANCED LEFT SIDE ELEVATION

1A ENHANCED RIGHT SIDE ELEVATION

# A

EXTERIOR ELEVATIONS  
ELEVATION STYLE - '1A & 2A'


PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



41.02.11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	2X FASGIA
<input type="checkbox"/>	PLASTER GORBEL
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED PAIL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL WINDOWS
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	

7 OF 14



2B  
1B  
FRONT ELEVATION


1B  
2B  
REAR ELEVATION

**B**  
SEE 'A' ELEVATIONS FOR SIDES  
EXTERIOR ELEVATIONS  
ELEVATION STYLE - '1B & 2B'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	2X FASCIA
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED FINISH
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



**C**  
 SEE 'A' ELEVATIONS FOR SIDES  
 EXTERIOR ELEVATIONS  
 ELEVATION STYLE - '1C & 2C'


PROVENCE - URBAN VILLAS  
 RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	2X FASCIA
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED MALL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL HANDS
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



3  
SECOND FLOOR




3  
FIRST FLOOR

UNIT 3  
FIRST / SECOND FLOOR PLANS  
ELEVATION STYLE - 'A'


PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



AREA ANALYSIS	
UNIT 1	
FIRST FLOOR	364.93 S.F.
SECOND FLOOR	814.48 S.F.
THIRD FLOOR	655.88 S.F.
TOTAL LIVING AREA	1835.89 S.F.
COVERED	379.97 S.F.
DECK	138.37 S.F.
TOTAL AREA	2754.22 S.F.
UNIT 2	
FIRST FLOOR	348.38 S.F.
SECOND FLOOR	698.42 S.F.
THIRD FLOOR	723.32 S.F.
TOTAL LIVING AREA	1841.82 S.F.
COVERED	368.87 S.F.
DECK	178.88 S.F.
TOTAL AREA	2789.57 S.F.
UNIT 3	
FIRST FLOOR	491.41 S.F.
SECOND FLOOR	698.82 S.F.
THIRD FLOOR	351.76 S.F.
TOTAL LIVING AREA	1542.04 S.F.
COVERED	438.97 S.F.
DECK	104.27 S.F.
TOTAL AREA	2085.28 S.F.



ROOF PLAN



THIRD FLOOR

UNIT 3  
THIRD FLOOR / ROOF PLAN  
ELEVATION STYLE - 'A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC




AREA ANALYSIS	
UNIT 1	
FIRST FLOOR	364.88 S.F.
SECOND FLOOR	814.48 S.F.
THIRD FLOOR	880.88 S.F.
TOTAL LIVING AREA	2059.39 S.F.
LOBBY	239.87 S.F.
STAIR	146.33 S.F.
Total area	2505.57 S.F.
UNIT 2	
FIRST FLOOR	340.38 S.F.
SECOND FLOOR	858.42 S.F.
THIRD FLOOR	720.23 S.F.
TOTAL LIVING AREA	1919.03 S.F.
LOBBY	260.87 S.F.
STAIR	176.88 S.F.
Total area	2356.79 S.F.
UNIT 3	
FIRST FLOOR	481.41 S.F.
SECOND FLOOR	858.42 S.F.
THIRD FLOOR	361.79 S.F.
TOTAL LIVING AREA	1701.62 S.F.
LOBBY	426.87 S.F.
STAIR	166.27 S.F.
Total area	2344.67 S.F.

11 OF 14



FRONT ELEVATION

1. Gable End Siding  
2. Gable End Shingles  
3. Gable End Siding  
4. Gable End Siding  
5. Gable End Siding  
6. Gable End Siding  
7. Gable End Siding  
8. Gable End Siding  
9. Gable End Siding  
10. Gable End Siding  
11. Gable End Siding  
12. Gable End Siding  
13. Gable End Siding  
14. Gable End Siding  
15. Gable End Siding  
16. Gable End Siding  
17. Gable End Siding  
18. Gable End Siding  
19. Gable End Siding  
20. Gable End Siding  
21. Gable End Siding  
22. Gable End Siding  
23. Gable End Siding  
24. Gable End Siding  
25. Gable End Siding  
26. Gable End Siding  
27. Gable End Siding  
28. Gable End Siding  
29. Gable End Siding  
30. Gable End Siding  
31. Gable End Siding  
32. Gable End Siding  
33. Gable End Siding  
34. Gable End Siding  
35. Gable End Siding  
36. Gable End Siding  
37. Gable End Siding  
38. Gable End Siding  
39. Gable End Siding  
40. Gable End Siding  
41. Gable End Siding  
42. Gable End Siding  
43. Gable End Siding  
44. Gable End Siding  
45. Gable End Siding  
46. Gable End Siding  
47. Gable End Siding  
48. Gable End Siding  
49. Gable End Siding  
50. Gable End Siding  
51. Gable End Siding  
52. Gable End Siding  
53. Gable End Siding  
54. Gable End Siding  
55. Gable End Siding  
56. Gable End Siding  
57. Gable End Siding  
58. Gable End Siding  
59. Gable End Siding  
60. Gable End Siding  
61. Gable End Siding  
62. Gable End Siding  
63. Gable End Siding  
64. Gable End Siding  
65. Gable End Siding  
66. Gable End Siding  
67. Gable End Siding  
68. Gable End Siding  
69. Gable End Siding  
70. Gable End Siding  
71. Gable End Siding  
72. Gable End Siding  
73. Gable End Siding  
74. Gable End Siding  
75. Gable End Siding  
76. Gable End Siding  
77. Gable End Siding  
78. Gable End Siding  
79. Gable End Siding  
80. Gable End Siding  
81. Gable End Siding  
82. Gable End Siding  
83. Gable End Siding  
84. Gable End Siding  
85. Gable End Siding  
86. Gable End Siding  
87. Gable End Siding  
88. Gable End Siding  
89. Gable End Siding  
90. Gable End Siding  
91. Gable End Siding  
92. Gable End Siding  
93. Gable End Siding  
94. Gable End Siding  
95. Gable End Siding  
96. Gable End Siding  
97. Gable End Siding  
98. Gable End Siding  
99. Gable End Siding  
100. Gable End Siding



ENHANCED RIGHT SIDE ELEVATION

# A


EXTERIOR ELEVATIONS  
ELEVATION STYLE - '3A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC




09.01.11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	2X FASCIA
<input type="checkbox"/>	PLASTER CORNICE
<input type="checkbox"/>	PLASTER FINISH TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED WALL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



REAR ELEVATION



LEFT SIDE ELEVATION

A


EXTERIOR ELEVATIONS  
ELEVATION STYLE - '3A'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



08.11

TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTERNAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTERNAL COLOR PLASTER
<input type="checkbox"/>	3X FABRICA
<input type="checkbox"/>	PLASTER GORBEL
<input type="checkbox"/>	PLASTER ANODA TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED HALL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / BEARDRAL
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND WOOD ELEMENTS TO BE PAINTED	



FRONT ELEVATION

ENHANCED RIGHT SIDE ELEVATION

REAR ELEVATION

# B

EXTERIOR ELEVATIONS  
ELEVATION STYLE - '3B'

PROVENCE - URBAN VILLAS  
RC NATOMAS, LLC



TYPICAL BUILDING MATERIALS	
<input type="checkbox"/>	INTEGRAL COLOR FLAT TILE ROOF
<input type="checkbox"/>	INTEGRAL COLOR PLASTER
<input type="checkbox"/>	2X FASCIA
<input type="checkbox"/>	PLASTER GORBEL
<input type="checkbox"/>	PLASTER WINDOW TRIM
<input type="checkbox"/>	DECORATIVE PLASTER PROJECTION
<input type="checkbox"/>	PLASTER TRIM
<input type="checkbox"/>	PLASTER BATTERED WALL
<input type="checkbox"/>	DECORATIVE SHUTTER
<input type="checkbox"/>	EXPANSION JOINT
<input type="checkbox"/>	METAL RAIL / GUARDRAIL
<input type="checkbox"/>	VINYL WINDOW
<input type="checkbox"/>	FIBERGLASS ENTRY DOOR
<input type="checkbox"/>	SLIDING GLASS DOOR
<input type="checkbox"/>	METAL SECTIONAL GARAGE DOOR
* ALL METAL AND FOOD ELEMENTS TO BE PAINTED	

Exhibit 4J – Building Data Charts

PROVENCE - 5088676.00

### Structure Square Footage

**Existing Structure Square Footage**

PRODUCT	TOTAL LIVING AREA	GARAGE	TOTAL AREA
Unit 1B	1279 SF	429 SF	1708 SF
Unit 2A	1351 SF	429 SF	1780 SF
Unit 3A	1265 SF	429 SF	1694 SF
Unit 2RB	1351 SF	429 SF	1780 SF
Unit 1RC	1279 SF	429 SF	1708 SF

Total Existing Structure Square Footage: **4,730 SF** NOT A PART (P06-194)

**Proposed Structure Square Footage**

PRODUCT	TOTAL LIVING AREA	GARAGE	DECK/ PORCH	GROSS AREA PER BLDG.	BLDGS. PER PLAN	TOTAL BLDG. AREA
<b>Courts</b>						
Plan 1/4	1623 SF	402 SF	119 SF	2143 SF	16	34290 SF
Plan 2/3	1806 SF	803 SF	114 SF	2724 SF	14	38133 SF
Plan 5/7	2154 SF	861 SF	118 SF	3133 SF	31	97121 SF
Plan 6/9	2477 SF	473 SF	137 SF	3087 SF	11	33957 SF
Plan 8	1242 SF	215 SF	145 SF	1602 SF	7	11217 SF
Plan 10/11	1793 SF	425 SF	140 SF	2359 SF	10	23585 SF
<b>Urban Villas</b>						
Unit 1	1634 SF	380 SF	136 SF	2150 SF	7	15050 SF
Unit 1&2	3315 SF	761 SF	313 SF	4389 SF	17	74613 SF
Unit 3	1702 SF	437 SF	174 SF	2313 SF	21	48573 SF

Total Proposed Structure Square Footage: **376538 SF**

**Lot Coverage**

PRODUCT	COVERAGE PER BUILDING	BLDGS. PER PLAN	TOTAL BLDG. COVERAGE
<b>Courts</b>			
Plan 1/4	893 SF	16	14288 SF
Plan 2/3	1024 SF	14	14336 SF
Plan 5/7	1178 SF	31	36518 SF
Plan 6/9	1205 SF	11	13255 SF
Plan 8	743 SF	7	5201 SF
Plan 10/11	1057 SF	10	10570 SF
<b>Urban Villas</b>			
Unit 1	760 SF	7	5320 SF
Unit (1&2)	1540 SF	17	26180 SF
Unit 3	1009 SF	21	21190 SF

Total Building Coverage Area: **146858 SF**

Total Residential/Landscape Lot Area: **348,480 SF (8.0AC)**

Total Lot Coverage Percentage: **42%**

ATTACHMENT A

## Building Heights & Materials

### Proposed Building Heights

PRODUCT	MAX. BUILDING HEIGHT	NUMBER OF FLOORS
Courts - Plan 1/4	33' - 0" max	3
Courts - Plan 2/3	33' - 0" max	3
Courts - Plan 5/7	35' - 0" max	3
Courts - Plan 6/9	34' - 0" max	3
Courts - Plan 8	33' - 0" max	3
Courts - Plan 10/11	34' - 0" max	3
Urban Villas	32' - 0" max	3

### Existing Building Heights

PRODUCT	MAX. BUILDING HEIGHT	NUMBER OF FLOORS
Unit 1B	19' - 3.5"	2
Unit 2A	19' - 3.5"	2
Unit 3A	19' - 3.5"	2
Unit 2RB	19' - 3.5"	2
Unit 1RC	19' - 3.5"	2

### Proposed Building Materials

Exterior Walls & Soffits, Trim: Integral color stucco, 2x fascia, plaster corbel, & plaster window trim  
rake board, rafter tail, stone pattern veneer,

Roofing: Composit MAXItile

Misc: metal rail/ guardrail, vinyl windows, decorative shutter,  
sliding glass door, fiberglass entry door, metal sectional garage door,  
metal sectional garage door with windows, and french door

### Existing Building Materials

Exterior Walls & Soffits, Trim: Stucco, Stucco over foam trim

Roofing: Class A Fire Retardent flat concrete tiles

Shutters: decorative Foam

Misc: metal exterior balcony guardrail  
plywood mounted decorative clay pipe  
decorative 3/4" round wrought iron

Elev Enhancement Plotting 02-10-2011.xls

Exhibit 4K – Elevation Variation Plotting and Color Schemes

Providence-Courts															
2008046															
1/3/2011															
1/24/2011 City revisions, additional plan info															
Elevation Variation Plotting						Color Plotting									
Notes: Not all sides of all buildings are visible and enhanced						Notes: Please refer to the Color Lists for scheme specifications (Schemes 1-4)									
Areas are approximate, see design drawing for accurate plan areas															
Variations											Symbol				
Thick enhancements on all floors (2'-6" max)											I				
Thick enhancements on 2nd & 3rd floors (2'-6" max)											II				
Thinner enhancements (1'-0" max)											III				
Thick enhancements all floors, not full building width(2'-6" max)											IV				
Bldg No	Bldg type	Areas		Br/Ba		Garage		Height		Elev Style	Color Scheme	Front	Right	Rear	Left
31	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2			I	
32	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	4				
33	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	3				
34	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	1		II		
35	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	2			I	
36	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	3			III	III
37	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	C	1	II	II		
38	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	4	II			II
41	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	A	4	I		I	
42	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2				
43	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	C	3		II		
44	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	4				
45	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	C	1				
46	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	B	2				
47	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	3			III	
48	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	C	1	I		I	
49	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2			I	
50	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	4				
51	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	A	1				
52	8	8: 1242 sf		8:2 Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	C	3	I			
53	8	8: 1242 sf		8:2 Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	A	4	I			
54	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	B	2				
55	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	1				
56	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	3			I	
57	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	A	4	I		I	
58	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	3			III	
59	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	C	1				
60	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	2	I			
61	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	B	3	I		I	
62	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	C	4			III	
63	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	1				

Elev Enhancement Plotting 02-10-2011.xls

Bldg No	Bldg type	Areas		Br/Ba		Garage		Height		Elev Style	Color Scheme	Front	Right	Rear	Left
64	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2		I		III
65	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem			B	2		I		III
66	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	C	1	I	II		
67	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	3	I			
68	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	B	4			II	
69	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	C	1				
70	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	2		III		
89	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	3		I		
90	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2				
91	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	C	1	IV	I		
92	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	4	II	II		
93	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	C	3	II	II		
94	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	B	1		III		III
95	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	4		I		
96	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	3		II		
97	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	B	4	IV	III		
98	8	8: 1242 sf		8: 2Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	A	2	II	I		
99	8	8: 1242 sf		8: 2Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	C	3	II	I		
100	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	A	2	IV	III		
101	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	1				
102	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	4		II		
103	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2		I		
104	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	3				
105	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	C	1	IV	III		
106	8	8: 1242 sf		8: 2Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	A	4	II	I		
107	8	8: 1242 sf		8: 2Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	C	1	II	I		
108	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	A	3	IV	III		
109	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	B	2	I	I		
110	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	1		I		
111	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	B	4				III
112	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	2	I	II		
113	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	B	3	I	I		
114	10-11	10: 727 sf	11: 1066 sf	10: 1 Br/1 Ba	11: 2 Br/1.5 Ba	10: 1 car	11: 1 car	10: 24'	11: 34'	A	2	IV	I		
115	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	1				
116	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	4		I		
117	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	1		I		
118	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2				
119	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	A	4		II		
120	8	8: 1242 sf		8: 2Br/2.5 Ba		8: 1 car		8: 24'	8: 34'	C	1	III	II		
121	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	B	3		II		
122	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	2				
123	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	4		I		
124	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	3		I		
125	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	C	1		II		
126	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	A	4	III	II		
127	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	C	2	III	II		

Elev Enhancement Plotting 02-10-2011.xls

Bldg No	Bldg type	Areas		Br/Ba		Garage		Height		Elev Style	Color Scheme	Front	Right	Rear	Left		
128	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	B	3		II				
129	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	4		II		III		
130	6-9	6: 1040 sf	9: 1437 sf	6: 2 Br/2.5 Ba	9: 3 Br/2.5 Ba	6: 1 car	9: 1 car	6: 24'	9: 34'	A	1		II	II			
131	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	B	3	I					
132	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	C	2	II	II				
133	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	B	4		I				
134	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	3		I				
135	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	A	1		I				
136	1-4	1: 649 sf	4: 974 sf	1: 1 Br/1 Ba	4: 2 Br/1.5 Ba	1: 1 car	4: 1 car	1: 24'	4: 34'	B	2	I					
137	2-3	2: 903 sf	3: 903 sf	2: 2Br/2.5 Ba	3: 2Br/2.5 Ba	2: 1 car	3: 2 car tandem	2: 34'	3: 34'	A	4		I				
138	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	C	3		I				
139	5-7	5: 1021 sf	7: 1133 sf	5: 2Br/2.5 Ba	7: 2Br/2.5 Ba	5: 2 car tandem	7: 2 car tandem	5: 34'	7: 34'	B	2		I				
<b>Providence-Urban Villas</b>																	
2008046																	
1/10/2011																	
<b>Elevation Variation Plotting</b>								<b>Color Plotting</b>									
Notes:		Areas are approximate, see design drawing for accurate plan areas								Notes:		Please refer to the Color Lists for scheme specifications (Schemes 4-6)					
Bldg No	Bldg type	Areas		Br/Ba		Garage		Height		Elev Style	Color Scheme	Front	Right	Rear	Left		
1	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		B	5						
2	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	C	bldg1:6/bldg 2:4						
3	1	1: 1634 sf		1: 3 Br/3.5 Ba		1: 2 car tandem		1: 32'		B	5						
4	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		AR	6						
5	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		B	5						
6	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	A	bldg1:4/bldg 2:6						
7	1	1: 1634 sf		1: 3 Br/3.5 Ba		1: 2 car tandem		1: 32'		B	5						
8	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		AR	4						
9	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		B	6						
10	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	C	bldg1:4/bldg 2:5						
11	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	A	bldg1:6/bldg 2:4						
12	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	C	bldg1:6/bldg 2:5						
13	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	B	bldg1:4/bldg 2:6						
14	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		AR	5						
15	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		B	4						
16	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	A	bldg1:5/bldg 2:6						
17	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	B	bldg1:4/bldg 2:5						
18	3	3: 1702 sf		3: 3 Br/2.5 Ba		3: 2 car tandem		3: 32'		C	6						
19	1-2	1: 1634 sf	2: 1681 sf	1: 3 Br/3.5 Ba	2: 3 Br/2.5 Ba	1: 2 car tandem	2: 2 car tandem	1: 32'	2: 32'	A	bldg1:5/bldg 2:4						
20	1	1: 1634 sf		1: 3 Br/3.5 Ba		1: 2 car tandem		1: 32'		B	6						

Elev Enhancement Plotting 02-10-2011.xls

Bldg No	Bldg type	Areas	Br/Ba	Garage	Height	Elev Style	Color Scheme	Front	Right	Rear	Left
21	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	5				
22	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	B	6				
23	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	A	4				
24	1	1: 1634 sf	1: 3 Br/3.5 Ba	1: 2 car tandem	1: 32'	C	5				
25	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	BR	4				
39	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	C	bldg1:6/bldg 2:5				
40	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	4				
71	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	B	bldg1:6/bldg 2:5				
72	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	C	bldg1:4/bldg 2:6				
73	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	5				
74	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	B	4				
75	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	A	bldg1:5/bldg 2:6				
76	1	1: 1634 sf	1: 3 Br/3.5 Ba	1: 2 car tandem	1: 32'	C	4				
77	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	5				
78	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	C	bldg1:4/bldg 2:6				
79	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	B	bldg1:5/bldg 2:4				
80	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	6				
81	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	B	5				
82	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	C	bldg1:6/bldg 2:4				
83	1	1: 1634 sf	1: 3 Br/3.5 Ba	1: 2 car tandem	1: 32'	B	5				
84	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	6				
85	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	B	5				
86	1-2	1: 1634 sf 2: 1681 sf	1: 3 Br/3.5 Ba 2: 3 Br/2.5 Ba	1: 2 car tandem 2: 2 car tandem	1: 32' 2: 32'	A	bldg1:4/bldg 2:6				
87	1	1: 1634 sf	1: 3 Br/3.5 Ba	1: 2 car tandem	1: 32'	C	5				
88	3	3: 1702 sf	3: 3 Br/2.5 Ba	3: 2 car tandem	3: 32'	AR	4				

**PROVENCE – COURTS / RC NATOMAS, LLC  
 COLOR SCHEMES / SAAP NO. 2008046  
 January 03, 2011**

COLOR SCHEMES	• PLASTER 1 (LOWER)	• PLASTER 2 (UPPER)	• PLASTER TRIM • PLASTER WINDOW TRIM • DECORATIVE PLASTER PROJECTION	• FASCIA • RAKE BOARD • ENTRY DOOR • GARAGE DOOR • FRENCH DOOR	• SHUTTER	• METAL RAIL / GUARDRAIL	• STONE PATTERN VENEER	• COMPOSITE'S' ROOF TILE
1	CL 2923	CL 2911	CL 3163	CL 3165	CL 3105	CL 3226	ADANTE	CLAY
2	CLC 1250	CLC 1249	CL 2934	CL 2955	CL 2996	CL 3226	UMBRIA	RED FLASHED
3	CL 2814	CL 2813	CL 2506	CL 2507	CL 2496	CL 3226	MESETA	CLAY FLASHED
4	CL 2924	CL 2913	CL 2914	CL 3014	CL 3016	CL 3226	PADOVA	CLAY FLASHED

ALL COLOR TO BREAK AT INSIDE CORNERS. RAIN GUTTERS AND DOWNSPOUTS TO BE PAINTED TO MATCH ADJACENT SURFACE – I.E., GUTTERS TO MATCH FASCIA, DOWNSPOUTS TO MATCH STUCCO.


- PLASTER BY EXPO STUCCO - 16/20 SAND FINISH AND HEAVY TEXTURE PLASTER (HEAVY DASH).
- PAINT IS BY FRAZEE (CLW/CLC/CLV/CL 0000).
- STONE PATTERN VENEER: COLOR / STONE TYPE / TEXTURE SIMILAR TO ELDERADO FIELDLEDGE.
- ROOF TILE COMPOSITE 'S' TILE MaxiLITE P10 BY MAXITILE.
- Fourth Color Scheme added 12/07/10
- Changes highlighted 01/03/11, per Jim Murar's request.

**PROVENCE – URBAN VILLAS / RC NATOMAS, LLC  
 COLOR SCHEMES / SAAP NO. 2008046  
 June 17, 2010**

COLOR SCHEMES	• PLASTER 1 (LOWER)	• PLASTER 2 (UPPER)	• PLASTER TRIM • WINDOW TRIM • DECORATIVE PLASTER PROJECTION	• FASCIA • ENTRY DOOR • GARAGE DOOR	• METAL RAIL / GUARDRAIL • SHUTTER	• FLAT COMPOSITE ROOF TILE
4	CL 2802	CL 2792	CL 2846	CL 2925	CL 2676	FLASHED BROWN
5	CL 1873	CL 2762	CL 2785	CL 2866	CL 2887	OXFORD GRAY
6	CL 2834	CL 2923	CL 2835	CL 2936	CL 2937	FLASHED OXFORD

ALL COLOR TO BREAK AT INSIDE CORNERS. RAIN GUTTERS AND DOWNSPOUTS TO BE PAINTED TO MATCH ADJACENT SURFACE – I.E., GUTTERS TO MATCH FASCIA, DOWNSPOUTS TO MATCH STUCCO.

- PLASTER BY EXPO STUCCO - 16/20 SAND FINISH.
- PAINT IS BY FRAZEE (CLW/CLC/CLV/CL 0000).
- ROOF TILE COMPOSITE FLAT TILE MaxiSHAKE / MaxiSLATE BY MAXITILE.



PROVENCE - COURTS  
UNIT 1/4  
FRONT ELEVATION  
ELEVATION STYLE 'B'





PROVENCE - COURTS  
UNIT 2/3  
ENHANCED RIGHT ELEVATION  
ELEVATION STYLE 'B'





PROVENCE - COURTS  
UNIT 5/7  
ENHANCED RIGHT ELEVATION  
ELEVATION STYLE 'A'





PROVENCE - COURTS  
UNIT 6/9  
FRONT ELEVATION  
ELEVATION STYLE 'A'





PROVENCE - COURTS  
UNIT 8  
FRONT ELEVATION  
ELEVATION STYLE 'C'






PROVENCE - COURTS  
UNIT 10/11  
FRONT ELEVATION  
ELEVATION STYLE 'C'



Exhibit 4L – Playground Shade Structure and Paseo Concept Plans

NOTE: CONSIDERING OPTIONS FOR SHADE STRUCTURE.  
FINAL DESIGN TO BE DETERMINED.



# PROVENCE



RC NATOMAS, LLC

SACRAMENTO, CA

PLAYGROUND SHADE EXHIBIT




NOTE: INTENT IS TO PROVIDE A SCULPTURE SETTING THAT PROVIDES VISUAL INTEREST AND A KID FRIENDLY EXPERIENCE.



**PROVENCE**  
RC NATOMAS, LLC

02/22/2011  
SACRAMENTO, CA   
SOUTH PASEO CONCEPT PLAN

NOTE: INTENT IS TO PROVIDE A SCULPTURE SETTING THAT PROVIDES VISUAL INTEREST AND A KID FRIENDLY EXPERIENCE.



**PROVENCE**  
RC NATOMAS, LLC

SACRAMENTO, CA 02/22/2011  
  
**NORTH PASEO CONCEPT PLAN**



**Attachment 5: Mitigated Negative Declaration**

A Copy of the Mitigated Negative Declaration  
is available for review at:

City of Sacramento  
Community Development Department  
300 Richards Boulevard, 3<sup>rd</sup> Floor  
Sacramento, CA 95811

9 a.m. to 4 p.m.  
Monday through Friday

Attachment 6: Land Use & Zoning Map

